

# Index

- Acacia mangium* (acacia), 20, 44, 51, 251, 258, 260
- Achard, F., 3
- Acre, state of (Brazil): ASB in, 28, 278–80, 335, 425; benchmark sites in, 13, 266; biodiversity studies in, 95, 100; deforestation in, 271, 272; economic development in, 268, 273–74, 275; Embrapa research center in, 14, 95, 174, 279, 284; labor needs in, 403; LUSs in, 238–40, 404; migration to, 271; policy in, 282–85; population growth in, 269; sustainability in, 276; tradeoffs in, 430; transportation in, 181. *See also* Pedro Peixoto
- Acre State Technological Foundation (FUNTAC; Brazil), 203
- Afamba (Cameroon), 96–97
- Africa, 4–6, 14, 20, 22, 283, 305, 321; forest management in, 205, 217; urbanization in, 307, 330, 408. *See also* Cameroon; Congo Basin
- Agency for Agricultural Research and Development (AARD; Java), 14
- Agenda 21, 10, 29–30
- agricultural intensification, 6–8; in Africa, 308, 318, 323–24, 325, 329; and ASB, 11, 425; and biodiversity, 111, 121, 122, 123, 131, 132; and deforestation, 280, 297, 417, 418, 433; and LUSs, 323–24, 372–76, 410; in Thailand, 361, 371, 372–76. *See also* land use intensity
- agriculture: and biodiversity, 89, 121–22, 131, 133, 134, 135; in Brazil, 173, 266, 268; and cash crops, 20, 373–74; and currency devaluation, 179, 192; diversification of, 122, 131, 318, 330, 373–74; innovations in, 372–76; intercropping in, 5–6; and land use change, 172, 362–63; low- *vs.* high-input, 70–71, 72; and markets, 173, 182, 318; products of, 349, 362–63; subsistence, 122, 127; sustainability of, 143–46; and technology, 6, 173, 185–91, 193; in Thailand, 358, 359–60, 368, 373–74; wage labor in, 17, 227. *See also* crop-fallow systems; cropping, continuous; crops, annual; crops, perennial; farmers, small-scale; frontiers, agricultural; horticulture; land clearing, agricultural; shifting cultivation; slash-and-burn agriculture; tree-based systems
- agriculture, large-scale, 5, 9, 175, 176, 406; in Brazilian Amazon, 271, 282, 286; in Cameroon, 306, 312, 313, 319, 322; and deforestation, 271, 292, 306, 313, 416; and GHG, 66, 69; in Indonesia, 14, 223, 249, 250, 255, 291, 292, 300, 302, 420–22; monoculture in, 20, 300, 312, 319; *vs.* small-scale farmers, 300, 319, 322; and technology, 185, 186, 187–91, 193; in Thailand, 363; and transportation, 182
- agrochemicals, 318, 370, 373, 395, 405. *See also* fertilizers; herbicides; pesticides
- agroforests, 5, 7, 396, 432; and ASB, 26, 222, 224, 425; bananas in, 239; biodiversity in, 20, 90, 93, 94, 107, 108, 109, 111, 123, 131–35, 137, 223, 224, 301, 340; Brazil nuts in, 20–21, 282; in Cameroon, 20, 307, 310, 311–12, 314, 321, 329; carbon stocks in, 44, 49, 51, 52, 54, 55, 59, 60, 223, 224, 329; cocoa in, 20, 311–12, 314, 321; community-managed, 375–76; complex, 18–20, 19, 25, 375; and deforestation 234, 271, 302; as factor of production, 175, 176; fruit trees in, 20, 228, 230, 292,

- agroforests, (*continued*)  
 374, 375; and genetic resources, 249, 344–46;  
 and GHG, 67, 68, 69, 70, 71–76, 342, 343;  
 and *Imperata* control, 249, 252, 256–61; in  
 Indonesia, 18, 19, 20, 224–30, 295, 297, 299,  
 301, 302, 397, 422, 423, 428; labor in, 224–27,  
 229, 230, 231, 271, 301, 349, 375; and LUS  
 change, 282, 284, 378, 388, 411; peach palm  
 in, 20, 282; in Peruvian Amazon, 338, 339, 341,  
 350; pests in, 160, 223, 226, 228, 229, 230;  
 policy on, 231, 245, 301, 324; property rights  
 in, 28, 295–96; research on, 281, 378; rubber in,  
 20, 160, 165, 166, 222–31, 292, 294–95, 399,  
 422, 423, 425, 428, 433; *Shorea javanica*-based,  
 295; simple, 19, 20–21, 374–75; and slash-and-  
 burn agriculture, 291–92; small-scale, 222–31,  
 294–95; and soil structure, 154, 155; subsidies  
 to, 328–29; sustainability of, 157, 161, 163–66,  
 328; in Thailand, 371, 374–76; and women,  
 319. *See also* tree-based systems
- air quality, 146, 147, 150
- Akha (minority group), 359, 366
- Akok (Ebolowa Station, Cameroon), 90, 97, 135
- alang-alang. *See Imperata cylindrica* grasslands
- Alegre, Julio C., 338
- Alternatives to Slash and Burn (ASB) consortium,  
 3–30; founding of, 10; goals of, 11–12; impact  
 of, 12, 13, 16, 27–29, 278–86, 435; matrix of,  
 24–25, 26, 183, 378, 406, 424–33; research of,  
 12–13, 16–30, 278–81, 387–91
- altitude zones, 358–60, 365, 366–69, 380
- aluminum, 21, 106, 300
- Amazonas, state of (Brazil), 200
- Amazon Basin, 18, 21, 54, 222, 266
- Amazon, Brazilian: agriculture in, 21, 173, 266,  
 268, 271, 282, 286, 402, 404, 426; and ASB,  
 10, 18, 22, 27, 266; ASB matrix for, 25, 425,  
 426; benchmark sites in, 13–14, 15, 17, 266;  
 biodiversity in, 90, 93–95, 100, 107–9, 111,  
 125, 128, 132–35, 137, 200, 265, 267, 268,  
 270, 426, 429; carbon stocks in, 42, 44, 48–49,  
 51–55, 59, 60, 265, 267, 270, 426, 429, 437;  
 cattle in, 21, 239, 265, 268, 401, 402, 403;  
 in cross-site comparisons, 406–9; and cur-  
 rency devaluation, 178, 179; deforestation in,  
 3, 171–72, 200, 233–46, 265, 266, 270–71,  
 272, 430; economic development in, 265, 266,  
 268, 273–75; forest management in, 199–218;  
 labor in, 266, 268–69, 401, 402–3, 404, 426,  
 429, 430; land tenure in, 183–85; LUSs in, 19,  
 401–5, 410–11, 426; macroeconomic factors in,  
 170–94; markets in, 266, 403–5, 430; migration  
 in, 266, 268, 269, 424; pastures in, 401–4, 426,  
 429, 430–31; *vs.* Peruvian Amazon, 346, 350,  
 351; policy towards, 265–69, 282–85, 419, 426;  
 population density in, 266, 269–70; produc-  
 tion activities in, 173–75; small-scale farmers  
 in, 401–5, 426, 429, 431; socioeconomic issues  
 in, 24, 181–91; sustainability in, 154–64, 266,  
 401, 426, 431; tradeoffs in, 429, 430–31, 432,  
 433; transportation in, 9, 13, 181–83, 192, 268;  
*várzeas* (flooded areas) in, 200; welfare effects  
 in, 274–75. *See also* Acre, state of; Pará, state of;  
 Rondônia, state of
- Amazon, Peruvian, 20, 332–51; Andes region of,  
 8, 332; and ASB, 333; biophysical research in,  
 338–46; *vs.* Brazilian Amazon, 346, 350, 351;  
 land use patterns in, 334–38
- Amazon Treaty Organization, 233
- Ambam (Cameroon), 307, 314
- Ambassa-Kiki, R., 16
- Anderson, J. M., 127
- Angelsen, A., 172, 234, 245
- animals. *See* cattle ranching; fauna; livestock
- ants, 23, 120, 154, 322, 340; and biodiversity, 101,  
 124, 125, 131–33, 138, 139
- aquaculture, 175, 176, 371. *See also* fish
- Arachis* spp. (peanuts), 21, 281, 283, 310, 311, 312.  
*See also* groundnuts
- arachnids, 102, 120, 124, 340
- arthropods, 101–2, 124, 340. *See also* ants; insects
- ASB. *See* Alternatives to Slash and Burn (ASB)  
 consortium
- Asia, 4, 42, 248. *See also* China; Southeast Asia
- Asian Development Bank, 28
- Aspidosperma vargasii*, 209
- Asteraceae, 21, 338
- Ávila, M., 16
- Awac (Cameroon), 90, 96, 135
- bacteria, 126, 134, 155; chemolithotrophic, 120,  
 121; root-nodulating, 124–25, 128–29, 131,  
 133, 135, 136, 138–39
- Bactris gasipaes* (peach palm; pupunha), 19, 20, 44,  
 94, 107, 108, 281, 282, 340–42
- Bafia (Cameroon), 97
- Bagnall-Oakeley, H., 259
- bandarra. *See Schizolobium amazonica*
- Bangkok (Thailand), 361
- Batoum (Cameroon), 97

- Belém-Brasília road (Brazil), 9, 268
- benchmark sites, 12, 27, 28, 424; alternative LUSs for, 18–22; in ASB matrix, 25, 425–33; biodiversity studies at, 89, 90–100; in Brazilian Amazon, 13–14, 15, 17, 266; in Cameroon, 14, 15, 16, 17, 306–13; carbon stocks at, 42, 44, 48–49; characterization of, 16–22; cross-site comparisons of, 406–9; and GHG, 64–79; in Mexico, 14, 18; PAM results for, 391–405; in Peruvian Amazon, 335–38; similarity classes for, 15; in Sumatra, 14–15, 292, 294–301. *See also particular sites*
- Bertholletia excelsa* (Brazil nuts; castanha), 18, 19, 44, 206, 281, 402; in agroforests, 20–21, 282; in biodiversity studies, 94, 107, 108; in Brazilian Amazon, 401, 429–30; in FaleBEM, 235, 238, 242; prices of, 238, 241
- Bignell, D., 23
- biodiversity: and agriculture, 89, 121–22, 131, 133–35, 320; in agroforests, 20, 90, 93, 94, 107–9, 111, 123, 131–35, 137, 223, 224, 301, 315, 340; and ASB, 6, 7, 11, 13, 23, 27, 122, 433; in ASB matrix, 26, 424, 425; assessment of, 83–84, 85, 88, 90–100; and best-bet alternatives, 107, 108, 109, 112; in Brazilian Amazon, 90, 93–95, 100, 107–9, 111, 125, 128, 132–35, 137, 200, 265, 267, 268, 270, 286, 426, 429; in Cameroon, 90, 96–97, 107–10, 125, 128, 132, 133, 135, 138, 308–11, 427; and carbon stocks, 98, 102, 103, 106, 112, 120, 126, 137; and cassava, 90, 92, 93, 96–98, 109–11, 132; and cocoa, 90, 97, 98, 107–10, 315, 320, 321, 322; and community-based forests, 98, 314, 323; correlation of plant and animal, 85, 88, 100–107, 109; and crop-fallow systems, 92, 98, 111, 123, 133, 134, 135; definition of, 84; and deforestation, 3, 23, 233, 416, 433; and ecosystem dynamics, 83, 85, 119–20, 122, 134; in forests, 91, 94–97, 103, 109–11, 123, 132–35, 137, 201, 212–13, 293; and geology, 98, 99, 106; and government, 84, 297; in grasslands, 90, 92, 107, 109, 110, 123, 132, 137, 139; in Indonesia, 85, 90–92, 98, 100, 106, 107, 109–11, 125, 129, 130, 132, 133, 136, 137, 139, 300–302, 428; at landscape scale, 89–90; and LUS alternatives, 4, 23, 85, 98, 121–23, 130–33, 138, 328, 340, 378; and LUSs, 23, 85, 98, 121, 122, 123, 130–33, 138, 340; in MMSEA ecoregion, 355; and oil palm, 90, 95, 111, 322, 323; in Peru, 332–33, 338–40; and PFTs, 91–103, 105, 106, 112–13; and policy, 84, 111–12, 301, 303; and productivity, 83, 84, 90, 106, 111, 112, 122; and profitability, 83, 111, 112, 301; rapid assessment (RBA) of, 85, 88; research on, 10, 280, 286, 302, 350; and rubber, 90, 92–94, 103, 106, 107, 109–11, 132, 133, 136, 137, 223, 224; and sustainability, 146, 150; in Thailand, 106, 111, 357; and tradeoffs, 25, 432; transferability of, 83–84
- biodiversity, below-ground, 119–39, 280, 286, 302, 338–39, 433; *vs.* above-ground, 98, 121, 122; and ASB, 10, 13, 23, 27; assessment of, 122, 123–30, 126, 127; importance of, 119–22; and land use systems, 121, 123, 130–33; and nutrients, 121, 124, 139; sampling methods for, 127–30, 138–39; and soil, 119–22, 124, 131; and tree-based systems, 123, 132, 137
- Biodiversity Convention, 233
- biodiversity indicators, 23, 83–113; in field studies, 90–112; FTs as, 86–89; interregional, 87, 88
- bioeconomic simulation models, 193–94, 276, 280–81, 285. *See also* Farm Level Bioeconomic Model
- Biological Management of Soil Fertility Project, 251, 253
- BIOTROP permanent plots, 91
- bioturbation, 120, 121, 139
- birds, 20, 23, 85, 102, 103, 109, 138, 217
- Bixa orellana* (achiote), 347
- Blair, G.J., 152
- Bolivia, 346
- Bora people, 19, 20
- Borneo, 18, 420
- Boserup, E., 6
- Brachiaria brizantha* (braquiarão/brizantão) pastures, 93, 95, 275, 283, 341, 348, 349
- Brachiaria humidicola*, 21
- Brassica* spp. (cabbage), 19, 362, 374
- Brazil: ASB in, 434; benchmark sites in, 13–14, 15, 16, 17, 266; colonization programs in, 8, 170, 200, 269; currency devaluation in, 176, 178–79, 419; deforestation in, 3, 170–94, 305–6, 419; economic development in, 409; environmental movements in, 233; forest management in, 199–200; map of, 267; roads in, 9, 13, 268; savannas of, 90, 409; Western, 233–46, 265–87. *See also* Amazon, Brazilian
- Brazilian Institute for the Environment and Natural Resources (IBAMA), 199, 209, 218
- Brewer, K.R.W., 98
- BR-362 highway (Brazil), 13
- BR-364 highway (Brazil), 268
- Brown, K., 8

- Brown, S., 43, 53  
 bryophytes, 104  
 Bungo Tebo benchmark site (Jambi, Sumatra), 294, 295, 297, 298
- cacao. See *Theobroma cacao*
- Caesalpinaceae, 208, 309
- Calliandra calothyrsus*, 21
- Calycophyllum spruceanum* (capirona), 19, 345
- Camellia sinensis* (jungle tea), 19, 20, 366, 367, 375
- Cameroon: agroforests in, 20, 307, 310, 311–12, 314, 321, 329; and ASB, 22, 27; ASB matrix for, 25, 425, 427; benchmark sites in, 14, 15, 16, 17, 306–13; biodiversity in, 90, 96–97, 107–10, 125, 128, 132, 133, 135, 138, 308–11, 427; carbon stocks in, 44, 48–55, 57, 58, 60, 310, 427, 429; cocoa in, 308, 310–14, 320–22, 392–95, 419, 427, 429; crop-fallow systems in, 310–13, 319–20, 392–95, 427, 429; in cross-site comparisons, 406–9; currency devaluation in, 314, 321, 420; deforestation in, 307, 313, 419–20; economic development in, 306–8, 408–9; food crops in, 21, 308, 310, 319–20, 392–95, 420; food security in, 311, 407, 420, 427; forest margins in, 305–30; forests in, 18, 306, 308–9, 310, 313, 323, 408–9, 427; fruit trees in, 310, 392–95, 429, 432; gender in, 407, 420; land tenure in, 314, 424; large-scale agriculture in, 306, 312, 313, 319, 322; laws in, 313, 326; LUSs in, 19, 308, 310–13, 323–29, 388, 392–96, 410, 411, 429; markets in, 307, 308, 311–14; migration in, 419, 420, 424; oil palm in, 310, 312–13, 322–23, 427, 429; perennial crops in, 392–95; policy in, 308, 314, 317, 324, 329, 391, 427; population in, 308, 314, 423; profitability in, 314–19, 427, 429; shifting cultivation in, 21, 307, 419; small-scale farmers in, 310, 312, 419, 427; socioeconomic issues in, 24, 311; soil in, 156, 157, 160–62, 308, 309–10, 427; sustainability in, 154–64, 308, 311, 314–19, 427; tradeoffs in, 430, 432–33; trends in, 319–23; urbanization in, 307, 408
- Campinharana, 95
- canopy cover, 131, 136, 201, 212, 213; and *Imperata* control, 251, 258–60
- canopy height, 99, 100, 101–2, 103, 104
- capital, 182, 334, 430; in cross-site comparisons, 406, 407; and currency devaluation, 177, 179; and deforestation, 254, 347, 348; as factor of production, 173, 176; flight of, 177, 178, 179, 180, 181; and forest management, 199, 217; and LUSs, 24, 379, 391, 405; and markets, 177, 318, 390, 391, 394, 400–401, 405, 410; migration of, 189; and rubber agroforestry, 224, 229, 231; and sustainability, 166, 167; and technology, 185–93
- capoëira, 93, 95, 109, 273
- carbon dioxide, 22, 120, 343–44; in incubation experiment, 69, 76; radiative forcing of, 64–65; seasonality of, 68, 73–76; in soil profile, 76–78
- carbon stocks, 4–7, 41–61; above-ground, 42, 43–45, 46, 48–49, 50–53, 57, 58–59, 60; in agroforests, 44, 49, 51, 52, 54, 55, 59, 60, 223, 224, 329; and ASB, 42, 50, 51, 52, 433; in ASB matrix, 25, 26, 424, 425; below-ground, 42, 43, 45, 47, 50, 53–57, 120, 124; at benchmark sites, 22–23, 42, 44, 48–49; and biodiversity, 98, 102, 103, 106, 112, 120, 126, 137; in bioeconomic models, 234, 237; in Brazilian Amazon, 42, 44, 48–49, 51–55, 59, 60, 240, 265, 267, 270, 280, 426, 429, 437; in Cameroon, 44, 48–55, 57, 58, 60, 310, 328, 427, 429; and cocoa, 44, 51, 52, 54, 55, 58, 59, 321; and crop-fallow systems, 320; and deforestation, 3, 42, 234, 416; and economic development, 297; in forests, 48, 50–51, 53, 54, 57, 58, 60, 314; global budget of, 42, 50; in grasslands, 44, 50, 52, 54, 55, 58, 60, 249, 261; in Indonesia, 42, 44, 47, 48–58, 60, 64, 300, 428; and LUSs, 41–61; measurement of, 10, 22–23, 27, 29, 42–50; offsets for, 61; and oil palm, 44, 51, 58, 59, 322, 323; in Peruvian Amazon, 338, 339–42, 350; and policy, 301, 303; and saturation, 151, 155; and sustainability, 24, 148, 150, 151–52; time-averaged, 45, 46, 47–53, 57, 58–59, 60; and tradeoffs, 24, 432, 433
- Care-Thailand Collaborative Natural Resources Management Project, 378
- Carney, D., 167
- Carpenter, G., 15, 87, 98
- Carpentier, Chantal L., 234, 430
- Carretera Marginal de la Selva road (Peru), 9
- cassava-*Imperata* systems, 249, 250, 255, 259, 299; and carbon stocks, 55–56, 57; and nutrients, 158, 159; and soil structure, 154, 155; sustainability of, 156, 157, 160, 166, 167. See also *Manihot esculenta*
- Cassia siamea* (cassia), 93, 111
- Castañeda, A., 215
- castanha. See *Bertholletia excelsa*
- Castro, M. S., 65

- cattle ranching, 5, 255, 388, 410; in Brazilian Amazon, 21, 239, 265, 268, 401–3; and deforestation, 21, 271, 416, 417, 418; and economic development, 273, 274, 275; and forest management, 199, 217, 276, 347; large-scale, 407; in Peruvian Amazon, 335; and prices, 241, 408; products of, 173, 174, 185, 281, 405, 408; research on, 283, 350; small-scale, 281; and soil productivity, 175; and technology, 185, 188, 189, 192. *See also* pastures
- Cedrela odorata*, 206, 208, 209
- Cedrelinga cataeniformis* (tornillo), 20, 340, 341
- Ceiba pentandra*, 206, 208, 217, 260
- Center for Forestry Research (CENFOR), 14
- Center for International Forestry Research (CIFOR), 329, 350, 419
- centipedes, 124
- Central African Republic, 14, 305
- Central America, 14
- Central Research Institute for Food Crops (CRIFC; Java), 14
- Centrosema macrocarpum*, 21, 340, 341
- CENTURY model, 50, 55–57, 159
- cerradão (woodland savannas), 90
- Chiang Mai (Thailand), 21, 356, 362, 371, 379; conference at (1999), 29; ethnic minorities in, 358, 359, 360
- Chiang Mai University (Thailand), 15
- China, 15, 355, 356
- Chomitz, K. M., 423
- Chromolaena odorata*, 21, 259; and biodiversity, 92, 96, 97, 110, 132; in Cameroon, 310, 311, 312, 313, 392; and carbon stocks, 44, 48, 52, 58, 59; as fallow crop, 19, 48, 52, 58, 59, 310, 311, 312, 313, 392; and soil structure, 155, 156; and sustainability, 160, 163
- Cinnamomum burmanii* (cinnamon), 297, 298
- Citrus* spp., 312, 347, 392
- Claveria (Mindanao, Philippines), 15
- Clean Development Mechanism (CDM; Kyoto Protocol), 61, 437
- Clibadium*, 92
- climate, 17, 90, 98, 106, 308, 309
- climate change, 64, 79, 121, 265, 328, 416; and ASB, 11, 13, 27, 433; and benchmark sites, 22–23; and GWP, 343–44; Intergovernmental Panel on, 28, 45; and LUS change, 355, 357, 378
- cocoa. *See Theobroma cacao*
- Cocos nucifera* (coconut), 20, 300
- cocoyam. *See Xanthosoma sagittifolium*
- Coffea* spp. (coffee), 5, 20, 389, 410; and bandarra, 44, 401–4, 426; in benchmark sites, 18, 19; and biodiversity, 90, 93, 94, 107, 111; in bioeconomic model, 233–46; in Brazilian Amazon, 239–40, 271, 401–3, 405, 429, 430; in Cameroon, 307, 310, 313, 314, 322, 324, 330, 419; and carbon stocks, 44, 45, 51, 52, 59, 60; as commodity, 173, 174, 176; and currency devaluation, 281, 321; and deforestation, 233–46; and economic development, 273, 409; as factor of production, 175, 176; genetic resources for, 405; and *Imperata* control, 251, 252, 259; in Indonesia, 250–52, 259; markets for, 245, 403, 408; and pasture, 245–46; in Peruvian Amazon, 340, 341, 346; and policy, 244, 245; prices of, 240, 241, 244, 245, 408
- cogon. *See Imperata cylindrica* grasslands
- Cola*, 309
- Coleoptera, 340
- collembolans, 124
- colonization, 13, 398, 424; in Brazil, 8, 170, 200, 217, 269, 284; and deforestation, 233, 418; and economic development, 269–70; in Indonesia, 8, 14, 171, 420; and land use patterns, 284–85; and LUSs, 284–85; in Peruvian Amazon, 8, 334; policy on, 267–69, 284–85; subsidies for, 233
- Colonization Projects (PCs), 200
- Colubrina glandulosa* (bolaina blanca), 19, 340, 341, 345
- computable general equilibrium (CGE) models, 171–72, 176–81
- Congo Basin, 14, 305–7, 313, 317–21; ASB in, 306, 329. *See also* Cameroon
- Consorcio para el Desarrollo Sostenible de Ucayali (CODESU; Peru), 14
- Consultative Group on International Agricultural Research (CGIAR), 27, 28, 329
- consumption, 240, 244, 245, 322; and currency devaluation, 176, 177; in FaleBEM, 235, 236, 237, 242
- Convention on Biological Diversity (CBD), 84
- Corchorus olitorius*, 311
- Costa Rica, 172, 205
- costs: of alternative LUSs, 323–29, 378, 389, 430, 431, 437; and biodiversity assessment, 83, 84, 90; and carbon stocks, 437; of deforestation, 233–34, 436, 437; of forest management, 208, 215, 216, 218, 430; of *Imperata* control, 253, 255–56; of logging, 205, 208, 430; opportunity, 435, 436; and rubber agroforestry, 229–30;

- costs, (*continued*)  
 transportation, 170, 171, 181–183, 192, 215, 251, 267, 321, 346, 395, 400, 405
- Côte d'Ivoire, 321
- cotton, 408
- Couratari macrosperma*, 208, 214
- Cramer, W., 87
- credit, 9, 170, 407; and alternative LUSs, 391, 405, 410, 431; in ASB matrix, 424; in Brazilian Amazon, 268, 275, 278, 283; and deforestation, 347, 348; in Indonesia, 250, 400–401; markets for, 395; in Peruvian Amazon, 346, 347, 348; subsidized, 268, 283, 346, 347, 405; and technology, 185
- crop-fallow systems, 19, 430; and alternative LUSs, 366–68, 388–89, 410; and biodiversity, 92, 98, 111, 123, 133, 134, 135; in Brazilian Amazon, 236, 239, 402, 404, 426; in Cameroon, 310–13, 316, 319–20, 324, 328, 392–95, 427, 429; carbon stocks in, 44–46, 48, 51–52, 54, 55, 57–59, 315, 320; *vs.* cocoa-fruit tree system, 432–33; and GHG, 71, 72; improved, 402–5, 426; in Indonesia, 71–72, 222–23, 297–98, 396, 397, 399, 428; of Krui, 431; and labor, 320, 328, 398, 403; legume-based, 20, 21, 223, 402; and markets, 319, 320, 328; and profitability, 316, 402; and soil structure, 155, 156; and sustainability, 161, 163, 164, 166; in Thailand, 366–68. *See also* fallow land; fallow periods
- cropping, continuous, 21, 26, 388, 430; and carbon stocks, 42, 52, 55, 57; and deforestation, 417, 418; and GHG, 342, 344; in Indonesia, 300, 396, 397, 399, 428; and sustainability, 161, 164
- crops, annual: in Brazil, 173, 239, 242–44, 271, 273, 282, 284; in Cameroon, 321, 328, 329–30; and deforestation, 243, 271, 347, 349; as factor of production, 175, 176; in Indonesia, 298; in Peruvian Amazon, 337, 340–42, 347, 349; policy on, 244, 329–30; and soil, 175, 273; substitution of, 174; sustainability of, 328, 349; and technology, 185, 187–91. *See also* food crops
- crops, perennial: in Brazilian Amazon, 239–40, 242–45, 273, 281; in Cameroon, 315, 318–20, 322, 324, 328, 329–30, 392–95; and factors of production, 175, 176; in FaleBEM, 242, 243; in Indonesia, 297, 298; in Peruvian Amazon, 337, 338, 349; policy on, 244, 245, 324, 329–30; sustainability of, 328; and women, 319. *See also* tree-based systems
- culture, 144, 418. *See also* socioeconomic issues
- Cupressus* (cypress), 20
- currency devaluation: bioeconomic simulations of, 171, 176–81, 281; in Brazil, 176, 178–79, 419; in Cameroon, 314, 321, 420; and exports, 177–79, 191, 192, 321; in Indonesia, 176, 180–81, 422; and LUSs, 176, 192; and profitability, 300
- Dacryodes edulis* (African plum), 312, 317, 392
- damar. *See Shorea javanica*
- dams, hydroelectric, 268
- decision-making patterns, 11, 16, 143, 279; and deforestation, 234, 347, 348, 417; in FaleBEM, 235, 237; in Peruvian Amazon, 332–33, 347, 348, 350; and policy, 245, 350; in Thailand, 228–29, 369
- deforestation: and agricultural intensification, 280, 297, 417, 418, 433; and agroforests, 222, 234, 271, 302; and alternative LUSs, 234, 243, 371, 388, 431; and altitude zones, 367; and annual crops, 243, 271, 347, 349; and ASB, 8–11, 21, 419, 425; and biodiversity, 3, 23, 233, 416, 433; bioeconomic models of, 193–94, 235, 242, 280, 281; in Brazil, 3, 170–94, 305–6, 419; in Brazilian Amazon, 3, 171–72, 200, 233–46, 265, 266, 270–71, 272, 277, 285, 430; in Cameroon, 307, 313, 320, 419–20; and carbon stocks, 3, 42, 234, 416; and cattle ranching, 21, 271, 416, 417, 418; and coffee, 233–46; in Congo Basin, 305–6; costs *vs.* benefits of, 233–34, 436, 437; and currency devaluation, 176–81; and economic development, 270–71, 273, 275; and ecosystem services, 3, 301, 416, 436; factors in, 11, 170–94, 233–34, 416–24, 436; and forest categories, 293–94; and genetic variation, 344; and GHG, 64–66, 72, 75, 79, 342, 343–44; in Indonesia, 170–94, 248, 249–50, 291, 292, 295, 305–6; and infrastructure, 181, 191, 417, 418; and labor, 171, 243, 347–48, 349, 424; and land tenure, 171, 181, 183–85, 192, 436; and large-scale agriculture, 271, 292, 306, 313, 416; and laws, 240, 242, 349; and logging, 171, 172, 301, 302, 416; and LUSs, 234, 243; and markets, 171, 172, 417, 418, 436; and migration, 8–9, 417, 436; in Peruvian Amazon, 335, 337, 347, 348; and policy, 171, 181, 193, 233, 234, 240, 244, 245, 284, 285, 347, 348, 417, 418, 433, 434, 436; and population density, 8, 294, 306, 418; and poverty, 28–30, 233, 302, 436–37; and prices, 243, 347, 349, 418; and productivity, 330, 348, 424, 433; and profitability, 191, 349,

- 416, 424; rates of, 3, 10, 16, 200, 272, 350, 358; and shifting cultivation, 29, 302, 349, 416, 417, 418; and small-scale farmers, 3–4, 8, 233–34, 306, 329, 416, 436; socioeconomic factors in, 29–30, 181–91, 233, 346–50, 417, 418; and soil, 233, 234, 243, 271, 348; squatter, 172; and technology, 171, 181, 187–93, 234, 347–49, 416, 418, 424, 433; in Thailand, 357–60, 367; and transportation costs, 171, 181–83, 192
- DeFries, R. S., 42
- Desmodium ovalifolium*, 21
- Detwiler, R. P., 53, 55
- Diaz, S., 86
- Dick, J., 421
- Dillenia* spp., 259
- Dimocarpus longan* (longan), 363
- Dinas Perkebunan (tree crop advisory service, Indonesia), 251
- Diospyros* spp. (persimmon), 309, 374
- Dipteryx odorata*, 207, 208, 214
- diseases, 120, 124, 201, 223, 319; in cocoa, 312, 322, 325; and sustainability, 24, 146, 147, 149, 154, 160–63, 165. *See also* pests
- diversity indexes, 126, 127; Fisher, 88, 100, 101–2, 105, 106, 206; Shannon-Wiener, 88, 100, 101–2, 105, 106, 132–34; Simpson, 88, 100, 101–2, 105, 106, 133, 134
- Dobbie, K. E., 65
- Doi Kham (brand), 363
- Doi Pui (Thailand), 361
- DOMAIN mapping procedure, 15
- Dorstenia*, 309
- Dosi, C., 234
- Douala (Cameroon), 307
- drought, 164, 165, 259, 295. *See also* precipitation
- drugs, illegal, 265, 266. *See also* opium
- Duguma, B., 312
- Durio zibethinus* (durian), 18, 158, 228, 230, 260, 298
- Dury, S., 312
- Earth Summit (Rio de Janeiro; 1992), 10, 437
- Ebolowa Station (Cameroon), 42, 90, 96, 97, 135, 307, 308, 314; LUSs in, 310–13
- economic development: in ASB matrix, 25, 424; in Brazilian Amazon, 265, 266, 268, 269–70, 273–78; in Cameroon, 306–8, 321, 408–9; and cattle ranching, 273–75; and colonization, 269–70; consequences of, 64, 269–75; and deforestation, 8, 270–71, 273, 275; *vs.* environment, 4, 16, 415–37; and forest management, 276–78; in Indonesia, 297, 302, 409; new paradigm for, 275–78; in Peruvian Amazon, 333, 334, 349; and policy, 273, 287, 409; research on, 286, 387, 433; sustainable, 269, 276, 286, 409; in Thailand, 356, 357; welfare effects of, 269, 274–75. *See also* macroeconomics; tradeoff analysis
- economic models, 276, 285, 286, 435; CGE, 171–72, 176–81; of deforestation, 172, 193–94, 233–34, 280, 281; partial equilibrium, 422. *See also* Farm Level Bioeconomic Model
- ecosystem dynamics, 86, 121, 149, 154, 267; and biodiversity, 83, 85, 119–20, 122, 134
- ecosystem services, 6–8; of agroforests, 20, 231; and biodiversity, 120, 121, 122; and deforestation, 3, 301, 416, 436; and genetic variation, 344; hydrologic, 29, 360–61, 364, 378; and markets, 408; research on, 13, 302, 435; in Thailand, 356, 358, 360–61; tradeoffs with, 434
- Elaeis guineensis* (oil palm), 5, 19, 20, 25, 401, 410; and biodiversity, 90, 95, 111, 322, 323; in Cameroon, 310, 312–13, 318, 319, 321, 322–23, 330, 427, 429; and carbon stocks, 44, 51, 58, 59, 322, 323; and currency devaluation, 321; and economies of scale, 319, 322; as factor of production, 175, 176; and GHG, 70, 72; hybrids of, 312, 318, 322, 325, 392–93, 395; *Imperata* control, 252, 253, 255, 259; in Indonesia, 70, 72, 251–53, 255, 259, 293, 299, 301, 396, 397, 399, 428; in Krui system, 431; and labor, 317, 395, 398; large-*vs.* small-scale plantations of, 175, 176, 312; and markets, 312, 318, 325, 395, 398; monoculture of, 312, 393, 396, 397, 398, 399; in Peruvian Amazon, 340, 341; processing of, 322, 325, 328, 396; profitability of, 315, 316; sustainability of, 157–59, 162, 163, 166
- elephants, 103
- Ellis, J. K., 234
- El Niño, 28, 84, 211, 212, 252, 435
- employment, 246, 268–69, 417, 424. *See also* labor
- Empresa Brasileira de Pesquisa Agropecuária (Embrapa), 18, 203, 238, 277, 350, 431; Acre research center of, 14, 95, 174, 279, 284; and ASB, 278–81, 282, 284, 285–86, 434; policy role of, 282–85
- England, 5
- Entandrophragma*, 205
- enterprises, postharvest, 250, 294, 322, 324, 325, 328, 349, 396, 405
- Equatorial Guinea, 305

- Erythrina orientalis*, 259  
 eucalyptus, 20, 44  
*Eugenia stipitata* (arazá), 20, 340  
 Euphorbiaceae, 259  
 Europe, 79  
 European Union (EU), 250  
 exports, 183, 395, 410; in Brazilian Amazon, 233, 419; in Cameroon, 321, 419; and currency devaluation, 177–79, 191, 192, 321; in Indonesia, 222–23, 294, 397, 398, 400, 407, 422; in Thailand, 358  
 extension services, 226, 318–19, 329, 398  
 extractive reserves, 18, 19, 275, 286
- fair trade movement, 324  
 fallow land: in Brazilian Amazon, 242, 243, 244, 273; in Cameroon, 307, 310–13; and *Chromolaena*, 19, 48, 52, 58, 59, 310–13, 392; forests as, 21, 310, 311, 347, 366, 373, 375; in Indonesia, 70; kudzu-improved, 348, 349; in Peruvian Amazon, 339, 340, 341, 347–49; in Thailand, 366, 373, 375  
 fallow periods, 5–7, 19, 22, 25, 26; and below-ground biodiversity, 121, 131; in Cameroon, 320, 321, 392–95, 427; and carbon stocks, 315; in Peruvian Amazon, 334, 337, 338; and sustainability, 24, 143–44, 160, 162–63, 164, 167, 291. *See also* crop-fallow systems  
 farmers, small-scale, 5, 7–9, 11–13, 25; and alternative LUSs, 315, 329, 370, 371, 387–411; in ASB matrix, 26, 424; in bioeconomic models, 235, 280, 281; in Brazilian Amazon, 199–218, 233–34, 235, 245, 278–81, 283, 285, 286, 401–5, 426, 429, 431; in Cameroon, 306, 307, 310, 312–13, 315, 318–19, 322, 325–27, 329, 419, 427; and carbon stocks, 437; and community-based action, 318–19, 329; credit for, 283, 405; and deforestation, 3–4, 8, 233–34, 306, 329, 416, 436; forest management by, 199–218, 278, 326, 327; and genetic variation, 344–46; and GHG, 66, 69; and grassland reclamation, 248–61; in Indonesia, 222–31, 248–61, 291, 292, 294–95, 300–303, 396–401, 420, 421, 423, 428; interviews with, 224–25; *vs.* large-scale agriculture, 182, 300, 319, 322; *vs.* monoculture, 20, 300, 312–13, 319; and oil palm, 322, 325; organizations of, 318–19, 325, 326, 327, 329; in PAM, 391; participation in research by, 279, 280, 329, 333, 345, 350, 433, 435; in Peruvian Amazon, 333, 334, 338, 339, 344–46, 350; and policy, 245, 285, 303, 350; production activities of, 175, 176; and research, 286, 338, 339, 389–90, 433, 434; and rubber agroforestry, 222–31, 294–95; and sustainability, 164, 278; and technology, 185, 186, 187–91, 193; in Thailand, 355–80  
 Farm Level Bioeconomic Model (FaleBEM), 233–46; description of, 235–38; and policy, 243–46; results of, 240–44  
 fauna, 20, 98, 217, 309, 311, 363, 378; micropredators, 120, 124, 139; in soil, 23, 128–31, 136, 138, 139, 154; *vs.* vegetation, 85, 88, 100–107, 109. *See also* birds; cattle ranching; hunting; insects; livestock  
 Fearnside, P.M., 53  
 Federico Basadre road (Peru), 9  
 fertilizers, 21, 111; in Brazilian Amazon, 236, 237, 238, 240, 241, 279, 342, 343; in Cameroon, 314, 318, 320; and deforestation, 348, 349; in FaleBEM, 236, 237, 238; and GHG, 70, 71, 72, 79, 342, 343; in horticulture, 314; in Indonesia, 71, 225, 250, 300; and markets, 318, 401, 405; nitrogenous, 66, 71, 79, 241; in Peruvian Amazon, 334, 348, 349; price of, 158, 159, 241; and sustainability, 149, 153, 158, 159, 162, 164, 167; in Thailand, 373  
 Findlay, R., 170  
 fire, 28; in Cameroon, 309; and *Imperata* control, 248–50, 252, 259, 261; in Indonesia, 223, 248–50, 252, 259, 261, 291, 300, 302, 421; in Peruvian Amazon, 335; and sustainability, 164, 165; in Thailand, 366, 371, 375  
 fish, 176, 333, 371  
 Fisher diversity index, 88, 100, 101–2, 105, 106, 206  
 Fisher, M.J., 55  
 food crops, 19, 25, 408; in Cameroon, 21, 308, 310, 314, 317, 319–25, 392–95, 420; and *Imperata* control, 252, 254, 255, 258–60, 261; improved varieties of, 319; in Indonesia, 223, 252, 254, 255, 258–61, 291, 295, 297–99, 397, 421, 422; and sustainability, 164, 165  
 food security, 25, 122; and alternative LUSs, 24, 315–17, 370, 372–74, 379, 394, 395; in ASB matrix, 424; in Brazilian Amazon, 274, 403, 404, 426; in Cameroon, 311, 315–17, 328, 330, 407, 420, 427; and genetic variation, 344; in Indonesia, 302, 398, 399, 428; and markets, 403, 407; in PAM, 391; in Peruvian Amazon, 344, 346; and policy, 317, 330; research on, 302, 387, 389, 390; in Thailand, 367, 370, 372–74, 379

- Forest Code (Brazil), 434
- forest conversion rates, 16. *See also* deforestation
- forest management: in Brazil, 199–200; in Brazilian Amazon, 202–18, 276–78, 280, 401, 404, 426; and carbon stocks, 48, 51, 60; and cattle ranching, 199, 217, 276, 347; collective, 18, 217, 218, 278; compartments in, 203, 204, 217; costs of, 208, 215, 216, 218, 430; and economic development, 276–78; harvesting rules in, 205; and income, 203, 276; in Indonesia, 295–96, 298; investment in, 199, 217, 278; jungle rubber, 216; and labor, 203, 208, 214, 215, 216, 403; land use systems (LUSs), 217; local, 295–96, 298; and LUS trends, 411; and markets, 199, 215, 217, 278; mechanized, 216; methods for, 202–8; in Peruvian Amazon, 347; and policy, 199, 218, 277, 278, 408; and prices, 200, 215, 217, 277; and profitability, 201, 202, 215, 216–17, 277, 278, 402; and regeneration, 205–6; silvicultural treatments in, 202, 204, 205, 215, 216; by small-scale farmers, 199–218, 276–78, 326, 327; and socioeconomic issues, 216–17; sustainable, 18, 199–218, 276–78; and technology, 199, 215, 217; traditional, 200
- Forest Management Project (legal document), 199
- forest margins, 4–9, 11, 20, 24–25, 127, 131; in Brazilian Amazon, 233, 234; in Cameroon, 305–30; deforestation at, 233, 234, 347, 417; *vs.* forests, 315; in Indonesia, 222, 291–303; migration to, 8–9; and population growth, 423–24
- forest reserves, 200, 204, 217, 218, 249, 363–64
- forests: and alternative LUSs, 18–22, 282, 284; and altitude zones, 366; annual mortality rates (AMRs) in, 207, 211–12; in ASB matrix, 26; Barren, 308, 309; in Brazilian Amazon, 200, 202–4, 206–12, 216, 239, 281, 284; in Cameroon, 306–9, 315, 330; Cameroon-Congo, 309; categories of, 14, 15, 17, 86, 292–94, 307, 308–9, 330, 421; costs of, 430; crown exposure in, 210, 211, 216; dynamics of, 206–7, 216; and economic development, 408–9; evergreen Atlantic, 308, 309; *vs.* forest margins, 315; fragmented, 89, 306, 309; gap replanting of, 20, 422; Guineo-Congolian, 308, 309; in Indonesia, 250, 292–94, 295; inventory of, 202–4, 208–9; limited production, 293, 294; lowland humid tropical, 86, 292, 293, 421; in MMSEA ecoregion, 355; montane, 17, 293; production, 293, 294, 295; recruitment rates in, 207, 211–12; semi-deciduous, 17, 309; species richness in, 206–7; squatters in, 172, 293; successional sequences in, 88; and sustainability, 161; in Thailand, 366, 368; tropical moist, 17, 233, 234, 266, 307, 387–411; use rights to, 61, 175, 377
- forests, community-based, 19, 28, 388, 425; biodiversity in, 98, 314, 323; in Cameroon, 310, 313, 314, 317, 323, 326, 327; in Indonesia, 396, 397, 399, 400, 428; and Krui system, 432; and labor, 317, 398; and land tenure, 323, 326, 327; risk *vs.* benefits of, 326–27; sustainability of, 18, 157, 162, 163, 166, 323; in Thailand, 364, 373, 375–76; tradeoffs with, 432, 434
- forests, primary, 22, 388, 410, 433; agroforestry in, 222, 292, 312, 329; biodiversity in, 91, 103, 110, 111, 123, 132, 133, 135, 137, 293; in Brazilian Amazon, 270, 401; in Cameroon, 308, 312, 329, 427; carbon stocks in, 48, 50–51, 54, 57, 58, 60; GHG in, 66, 67, 68, 71–76; in Indonesia, 222, 291–93, 299–301, 396, 399, 423; and migration, 270; in Peruvian Amazon, 337, 347, 348; *vs.* secondary, 18; and soil structure, 154; sustainability of, 157, 165, 166
- forests, secondary, 172, 410; agroforestry in, 222, 223, 312; biodiversity in, 91, 94–97, 109–11, 123, 132, 134, 135; biomass of, 53; in Brazilian Amazon, 206–7, 209–13, 218; in Cameroon, 310–12, 321; carbon stocks in, 42, 48, 51, 53, 54, 57, 58, 60; community-protected, 18; as factor of production, 175, 176; as fallows, 21, 310, 311, 347, 366, 373, 375; GHG in, 67–76, 342, 343; in Indonesia, 222, 223, 291, 298–300; monitoring of, 206–7, 209–13, 218; in Peruvian Amazon, 340, 341–43, 347, 348; and slash-and-burn agriculture, 51; and soil structure, 154; sustainability of, 157, 160, 165, 166; in Thailand, 350, 366, 373, 375
- frontiers, agricultural, 192–93, 409, 431; in Brazil, 170, 266, 275; deforestation on, 248, 347, 433; in Indonesia, 170–71, 248, 250; in Peru, 347
- fruit trees, 19, 411, 425; in agroforests, 20, 228, 230, 292, 374, 375; and biodiversity, 93, 94; in Cameroon, 310, 312, 315, 317–21, 328, 392–95, 429, 432; and carbon stocks, 51; and cocoa, 312, 320–21, 432–33; improved, 432; in Indonesia, 223, 228, 230, 260, 292, 297, 300; and markets, 318, 392, 395; in Peruvian Amazon, 340, 347; and sisipan system, 223; sustainability of, 157, 162, 164, 328; in Thailand, 362, 367, 373–75; and women, 319
- Fujisaka, S., 43, 239, 338, 339, 347, 401

- functional groups, 121, 123–27, 133–37, 138
- functional types (FTs), 86–89, 87, 112, 338. *See also*  
 plant functional types
- fungi, 23, 120, 121; mycorrhizal, 124, 125, 128–31,  
 133, 135, 138, 139, 146, 147, 149
- fungicides, 312, 314, 322
- Gabon, 14, 305
- Garcinia*, 309
- gas, natural, 334
- Geist, H.J., 8, 416–19, 423
- genetic resources, 249, 429, 432; cloned rubber,  
 223, 227–31, 396, 398, 399, 428; coffee, 405;  
 commercial value of, 345–46; in Peruvian Ama-  
 zon, 333, 338, 344–46, 350; and sustainability,  
 166, 167, 344–46
- geographic information systems (GIS), 16, 379
- Ghana, 321
- Gillison, Andrew N., 23, 87, 88, 98, 311, 338
- Gintings, A.N., 16
- Gliricidia sepium*, 251, 258, 259
- Global Environment Facility, 28, 29
- global warming, 79, 328, 416; potential for (GWP),  
 343–44. *See also* climate change; greenhouse gases
- Glossina* spp. (tsetse fly), 313
- Glycine max* (soybeans), 176, 181, 254, 363, 373
- Gmelina arborea*, 69, 74
- Gockowski, James, 24, 312, 315, 389, 390
- Gorupi Forest Reserve, 217
- government, 28, 181, 407; and alternative LUSs,  
 328, 363–64, 369, 380; and biodiversity, 84,  
 297; Brazilian, 233, 265, 266, 267–68, 275,  
 283–84; of Cameroon, 308, 325, 326, 327,  
 328; and community forestry, 326, 327; and  
 currency devaluation, 176; and Embrapa,  
 283–84; and genetic research, 345–46; Indo-  
 nesian, 297, 301, 397, 400, 431–32; and Krui  
 system, 431–32; local, 364, 369, 371, 377; and  
 migration, 8, 13–14, 249, 250, 292, 295; Peru-  
 vian, 333, 334, 345–46, 347; and sustainability,  
 147, 167; of Thailand, 363–64, 367, 369, 371,  
 377, 380
- gradient-oriented transect (gradsect) method, 98
- grasslands, 19, 21–22, 26, 163, 172, 367, 388;  
 biodiversity in, 90, 92, 107, 109, 110, 123, 132,  
 137, 139; *Brachiaria humidicola*, 21; carbon  
 stocks in, 44, 49, 50, 52, 54, 55, 58, 60, 249,  
 261; degraded, 6, 14, 90; as factor of production,  
 173, 175, 176; *Panicum maximum*, 283; recla-  
 mation of, 248–61; *Setaria*, 259; and technology,  
 188, 189. *See also Imperata cylindrica* grasslands;  
 pastures
- Gray, D.A., 423
- greenhouse gases (GHG), 9–10, 24, 61, 64–79; and  
 agroforests, 67, 68, 69, 70, 71–76, 342, 343; and  
 ASB, 11, 64, 66, 433; and below-ground biodi-  
 versity, 120, 123; in Brazilian Amazon, 268, 270;  
 in Cameroon, 328; and deforestation, 64–66, 72,  
 75, 79, 342, 343–44; in forests, 66, 67–76, 342,  
 343; and fossil fuel, 42; in *Imperata cylindrica*  
 grasslands, 68, 69, 70, 71, 72; in Indonesia, 22,  
 23, 66–79, 342–43; and LUSs, 22–23, 64–79;  
 measurement of, 22–23; in Peru, 22, 23, 67, 72,  
 333, 338, 342–44; seasonality of, 68, 71–76, 77;  
 and soil, 65–67, 69, 70, 76–78, 154, 342; and  
 sustainability, 148, 150
- gross domestic product (GDP), 8, 273, 274
- groundnuts, 96, 316, 317, 319, 324, 392. *See also*  
*Arachis* spp.
- Grupo de Pesquisa e extensão em Sistemas Agroflo-  
 restais do Acre (PESACRE), 278, 284
- Guarea pteronachis*, 207
- Guimaraes, W.M., 53
- habitat, 83, 88, 89, 106, 120
- Haggar, J., 18
- heart of palm. *See Bactris gasipaes*
- herbicides, 251, 252, 253–56, 271, 348, 373
- Hevea brasiliensis* (rubber), 5, 18–20, 411, 425; as  
 best-bet alternative, 222; and biodiversity, 90,  
 92–94, 103, 106, 107, 109–11, 132, 133, 136,  
 137, 223, 224; in Brazilian Amazon, 216, 401–4;  
 in Cameroon, 310, 330; and carbon stocks,  
 44, 51, 52, 54, 55, 58; *vs.* cassava, 433; cloned,  
 223, 227–31, 396, 398, 399, 401, 428; costs of,  
 229–30; cyclical *vs.* permanent, 223–24, 225,  
 226, 229–31; and deforestation, 292, 301; exports  
 of, 294; as factor of production, 175, 176; and  
 GHG, 67, 68–69, 71–76; grafting of, 230; and  
*Imperata* control, 251, 252, 255, 258, 259, 260;  
 income from, 223, 227–30; in Indonesia, 222–31,  
 251, 252, 255, 258, 259, 260, 292, 294–95,  
 297–99, 301, 396, 397, 399, 400, 422, 423, 428;  
 industrial processing of, 294; jungle, 92, 106, 107,  
 110, 132, 136, 137, 175, 176, 216, 223, 291,  
 294–95, 297–99, 423; large-scale production of,  
 175, 176, 223; and markets, 398; monoculture  
*vs.* jungle, 106; in Peruvian Amazon, 340, 341;  
 productivity of, 223, 224, 227–31; profitability  
 of, 402, 408; small-scale production of, 175, 176,

- 222–31, 294–95, 301; and soil, 156, 158; sustainability of, 157, 160, 164, 165, 166
- H'mong (minority group), 359, 360, 366
- Holmes, D., 421
- Hordeum vulgare* (barley), 19, 362
- horticulture: intensive, 21, 313, 314; subsistence, 90, 94, 97, 98, 111
- Houghton, R. A., 51, 52
- households: in bioeconomic models, 234, 237, 280; and land use alternatives, 252–53, 323, 324–28; livelihoods of, 24, 323, 324; research on, 253–56, 280, 283
- Howard, P., 85
- Htin (minority group), 359
- human development index (UNDP), 274–75
- Humid Forest Centre (IITA), 14
- hunting, 217, 230, 308, 315, 323, 324, 416
- hydrogen, 121
- Hymenaea courbaril*, 208
- Hymenolobium excelsum*, 207
- Imperata brasiliensis*, 339
- Imperata cylindrica* grasslands, 6, 14, 19, 21, 22; and agroforests, 249, 252, 256–61; and artificial shade, 253, 256, 259; biodiversity in, 90, 92, 123, 132, 137, 139; biomass of, 253, 256–57, 259; and carbon stocks, 44, 50, 52, 54, 58; and fire, 248–50, 252, 259, 261; GHG in, 68–72; herbicidal control of, 251, 252, 253–56; and income, 251, 259, 261; in Indonesia, 22, 248–61, 291, 299, 300, 396, 397, 399, 428, 433; reclamation of, 248–61; shade-based control of, 249, 251–61; and sustainability, 155, 160, 164, 165. *See also* cassava-*Imperata* systems
- incentives, 147, 387, 390, 436; for adoption of alternative LUSs, 361–69, 411, 431; and biodiversity, 83, 112; in Brazilian Amazon, 205, 217, 429; in Cameroon, 313, 321, 322, 323; for colonization, 170; effects of, 365–69; and prices, 321, 408; in Thailand, 361–69
- income, 390, 425, 433, 434; in bioeconomic models, 234, 235, 242, 280; in Brazilian Amazon, 203, 244, 245, 271, 274, 276, 280, 285; in Cameroon, 308; and forest management, 203, 276; and genetic variation, 344; and *Imperata* grasslands, 251, 259, 261; in Indonesia, 223, 227–30, 251, 259, 261, 421; and markets, 408; in Peruvian Amazon, 344, 346; and policy, 244, 245; from rubber, 223, 227–30; in Thailand, 370, 373
- India, 5
- indigenous peoples, 5, 7, 21; in Brazilian Amazon, 265, 268, 275; in Indonesia, 14, 396, 431–32; LUSs of, 8, 9, 19, 20, 431–32; in Peruvian Amazon, 333, 334; and policy, 408, 431–32
- Indonesia: agroforests in, 18–20, 222–31, 295, 297, 299, 301, 302, 397, 422, 423, 428; ASB in, 27, 297–301; ASB matrix for, 25, 425, 428; benchmark sites in, 14–17, 294–301; colonization in, 8, 14, 171, 420; in cross-site comparisons, 406–9; currency devaluation in, 176, 180–81, 422; deforestation in, 170–94, 248, 249–50, 291, 292, 295, 305–6; economic development in, 297, 302, 409; forest margins in, 291–303, 387–411; GHG in, 22, 23, 64–79, 342–43; government of, 297, 301, 397, 400, 431–32; *Imperata* grasslands in, 22, 248–61, 291, 299, 300, 396, 397, 399, 428, 433; indigenous peoples of, 14, 396, 431–32; LUSs in, 5, 18, 19, 21, 297–99, 388, 396–401, 410, 411; macroeconomic factors in, 170–94, 420–23; migration in, 222, 226, 248–50, 291–93, 295, 297, 298, 300, 301, 396, 420–24; population of, 170, 292, 294, 423–24; sustainability studies in, 154–64; tradeoffs in, 430, 431–32. *See also* Jambi province; Lampung province; Sumatra
- Indonesian Rubber Research Institute, 230
- industrialization, 294, 365, 418, 422
- Industrial Timber Plantation Company (HTI), 250, 258
- infrastructure, 6, 13, 20, 61; in Africa, 314, 318, 321, 330; and deforestation, 181, 191, 417, 418; and population, 406–7, 424; in Southeast Asia, 365, 370, 423. *See also* transportation
- Inga edulis* (inga), 20, 21, 44, 52, 93, 111, 340, 341
- Ingram, J.S.I., 127
- insects, 23, 85, 102, 138, 312, 313. *See also* ants; arachnids; pests; termites
- Institut de Recherche Agricole pour le Développement (IRAD; Cameroon), 14, 329
- institutions, 13, 28, 387, 425, 433, 434, 436; induced innovation in, 6–7, 376–80. *See also* government; land tenure
- Instituto de Investigación de la Amazonía Peruana (IIAP; Peru), 14, 350
- Instituto Nacional de Colonização e Reforma Agrária Acre (National Colonization Institute; Brazil), 284
- Instituto Nacional de Investigación Agraria (INIA; Peru), 14, 339, 350
- Instituto Nacional de Investigación Agrícola, Pecuaria y Forestal (INIFAP; Mexico), 14

- Instituto Nacional de los Recursos Naturales (Peru), 350
- Instituto Veterinario de Investigaciones Tropicales y de Altura (IVITA), 350
- integrated natural resource management (INRM), 12, 16, 27
- Integrated Natural Resources Conservation Project, CARE-Thailand, 371
- Intergovernmental Panel on Climate Change (IPCC), 28, 45
- intermediate disturbance hypothesis, 103, 131
- International Center for Research in Agroforestry (ICRAF), 261, 329, 340, 380
- International Center for Tropical Agriculture (CIAT), 349, 350
- international community, 83–84, 268, 416, 437; development agreements of, 275; and research, 279, 280, 285, 380; trade, 391; and trade, 245, 396, 400, 408
- International Food Policy Research Institute (IFPRI), 174
- International Fund for Agricultural Development (IFAD), 28
- International Institute for Tropical Agriculture (IITA), 329
- International Monetary Fund (IMF), 314
- investment, 143, 170, 172, 235, 251, 275, 407; and currency devaluation, 176, 177, 179, 181; and forest management, 199, 217, 278
- iron, 121
- irrigation, 21, 250, 367, 372–74
- Ishizuka, Shigehiro, 23
- Jambi province (Sumatra, Indonesia), 14, 291–303, 421; benchmark sites in, 67, 91–92, 294, 295, 297, 298; biodiversity in, 90, 91–92, 110, 130, 132, 133, 136, 137; carbon stocks in, 42, 47; GHG studies in, 66–79; LUSs in, 294–95; migration to, 422–23; population density of, 292; research in, 297–301; rubber agroforestry in, 224–30; sustainability studies in, 154–57
- Jaracatea spinosa*, 209
- Jardin do Botanica (Brazil), 95
- Java, 8, 14, 170; migrants from, 250, 292, 295, 300, 422
- jengkol. See *Pithecellobium jiringa*
- Jí-Paraná (Rondônia, Brazil), 93, 135
- Kaimowitz, David, 172, 234
- Kalimantan, 420
- Karen (minority group), 359, 366, 375
- Kawasan Dengan Tijuana Istimewa (Zone with Distinct Purpose; Indonesia), 295–96
- Kerala National Park (Uganda), 217
- Khamu (minority group), 359
- Khaya*, 205
- Kotto-Same, Jean, 43, 315
- Krui LUS, 431–32
- Krui research site (Lampung province, Sumatra), 20, 295
- Kuamang Kuning (Sumatra, Indonesia), 92
- kudzu. See *Pueraria phaseoloides*
- Kyoto Protocol (1997), 61, 233, 328, 437
- labor: in agroforestry, 224–27, 229–31, 271, 301, 349, 375; and alternative LUSs, 24, 315, 316, 388–91, 393, 398–404, 409–11, 426, 429–31; in ASB matrix, 26, 170, 424; in bioeconomic models, 234–38, 280; in cocoa systems, 316, 317, 320, 321; as constraint, 245, 334; in crop-fallow systems, 320, 328, 398, 403; cross-site comparisons of, 406; and currency devaluation, 177, 179, 181; and deforestation, 171, 243, 254–56, 330, 347–49, 424; as factor of production, 173, 175, 176; family, 225–27, 229, 230, 254–56, 319, 389, 390; and forest management, 203, 205, 208, 214–16, 403; gendered division of, 407, 420; hired, 225–27, 229, 230, 254–56, 407; and *Imperata* control, 253, 254–55; in logging, 205, 301, 398; and macroeconomic factors, 170, 173, 175, 176, 182, 183, 189; markets for, 177, 390, 394, 395, 400, 402–3, 405, 407; needs for, 390, 393–95, 398, 403; off-farm, 240, 246, 249, 250, 295, 349; and oil palm, 317, 322, 395, 398; in pasture systems, 239; and policy, 244, 245, 347, 391; and population density, 68, 170, 266, 268–69; returns to, 143, 315, 321, 389, 391, 393, 394, 397–99, 402–3, 406, 407, 410, 411, 424, 429, 433; and rice, 373, 398; and rubber agroforestry, 224–27, 229–31; and technology, 185–93, 400; in tradeoff analyses, 420, 421, 427, 428, 429, 433; and unemployment, 268–69; wage, 17, 227, 396, 398, 430
- Lahu (minority group), 359
- Lambin, E. F., 8, 416–19, 423
- Lampung province (Sumatra, Indonesia), 14, 421; biodiversity in, 132, 137; GHG studies in, 66–79; *Imperata* grasslands in, 22, 248–61; Krui in, 20, 295, 431–32; LUSs in, 296–97, 431–32;

- migrants to, 295, 422; population density of, 292; sustainability studies in, 154–57, 164, 165
- land: in alternative LUSs, 389, 393, 399, 402, 404, 411, 426; arable, 172, 182, 188, 189, 191; in ASB matrix, 424; in bioeconomic models, 234, 235, 236; as commodity, 173, 174–75; as factor of production, 172, 173, 175, 176, 320, 334; markets for, 390; policy on, 7, 64, 300, 391; prices of, 175, 182, 191, 335; productivity of, 185–87, 320, 330; rehabilitation of, 6–8, 11; returns to, 315, 389, 391, 393, 394, 397–99, 402, 411, 424; and rubber agroforestry, 224, 225, 226; speculation in, 358; and technology, 188; in tradeoff analyses, 427, 428, 430; types of, 172, 175, 176. *See also* fallow land; land degradation; land tenure
- land clearing, agricultural: in Brazilian Amazon, 233, 239, 240, 242, 244, 277, 284; in Cameroon, 307; and currency devaluation, 178; and deforestation, 18, 171, 172, 233; in Indonesia, 223, 253–57, 298, 422; *vs.* logging, 192; mechanized, 253, 254, 255; methods of, 253–56, 258; in Peruvian Amazon, 347; policy on, 240, 242, 244, 284, 347; and property rights, 175, 183–85; in Thailand, 358; and transportation, 183. *See also* deforestation
- land degradation, 6–7, 8, 11, 13, 22, 60; in Brazilian Amazon, 239, 266, 270, 271, 273, 284, 433; in Cameroon, 321–22, 329; and deforestation, 3, 172; and grasslands, 6, 14, 90, 248; in Indonesia, 242, 243, 248, 250, 294; at landscape scale, 432; in pastures, 6, 242, 243, 433; policy on, 271, 284, 361; and technology, 191; in Thailand, 360, 361
- landscape scale, 248, 422, 432, 434–35; biodiversity at, 89–90; integrated management at, 323; policy at, 378–79; research on, 279, 286, 302; sustainability at, 146, 164–67
- land tenure, 6, 61, 111, 143; in Brazilian Amazon, 183–85; in Cameroon, 314, 318, 323, 326, 327, 330, 424; and community forests, 323, 326, 327; in cross-site comparisons, 406, 407; and deforestation, 171, 181, 183–85, 192, 436; individual, 314; in Indonesia, 248, 261, 300, 301, 397, 423; and Krui system, 432; privatized, 373; in Thailand, 367, 373
- land use intensity: and biodiversity, 83, 89, 100; chronosequences (gradients) of, 22, 42–43, 89, 100, 108; and GHG, 68, 70–76, 79, 342; and seasonality, 71–76. *See also* agricultural intensification
- land use planning, participatory (PLP), 370, 376–77, 379, 380
- land use systems (LUSs), 4–13, 15, 172; adoption of alternative, 315–19, 409–11, 424, 431, 433, 434; alternative, 4, 164–67, 300, 323–29; at benchmark sites, 13, 16–22; best-bet alternative, 25, 27, 83–113, 222, 277, 302, 323; and bioeconomic models, 235, 237, 242, 280–81; changes in, 165–67, 357–61; commercial, 392; costs *vs.* benefits of, 323–29, 430, 437; cross-site comparisons of, 406–9; defining, 388–89; of ethnic minorities, 358–60, 431–32; evaluations of, 393–405; and functional groups, 133–37; and impact assessment, 27–29; and institutional innovation, 376–80; intensification of, 6–8, 297, 433; long-range impacts of, 279; meta- (LUTs), 18–22, 26, 90, 98, 100, 103, 107, 109, 387; in MMSEA ecoregion, 355; models for, 370, 377; multiproduct, 279; research on, 276–78, 286, 380, 433; spatial issues in, 362, 367–69, 388; and substitution relationships, 174, 183; temporal issues in, 388–89; traditional, 365–66, 380, 431–32; trends in, 319–23, 409–11; zoning for, 282–84. *See also under particular topics and regions*
- land use types (LUTs), 18–22, 26, 90, 98, 100, 103, 107, 109, 387
- Lanou, S., 84
- Lansium domesticum* (duku), 18, 260
- Lantapan (Mindanao, Philippines), 15
- Laos, 15, 355, 356
- Latin America, 4, 5, 6, 20, 22; benchmark sites in, 13–14; carbon stocks in, 42, 437; GHG from, 65, 66. *See also* Amazon, Brazilian; Amazon, Peruvian; Brazil; Peru
- laws: in Brazil, 205, 218, 240, 242, 275; in Cameroon, 313, 326; and deforestation, 240, 242, 349; forestry, 205, 218, 313, 326, 350; in Indonesia, 300, 397, 400; international, 391; local enforcement of, 376, 377; in Peru, 349, 350; and sustainability, 147
- Lawton, J. H., 126, 138
- legumes, 19, 52; as crop cover, 20, 21, 223, 402; in pastures, 251, 281, 431; and sustainability, 153, 164
- Lewis, J., 401
- Lisu (minority group), 359, 360, 366
- Litchi chinensis* (lychee), 363, 374
- literacy rates, 274
- litter transformers, 120, 124, 139
- livelihoods, 8–9, 320, 387, 416, 422, 432; and agroforestry, 374–76; and alternative LUSs, 315,

- livelihoods, (*continued*)  
 323, 371, 372, 378, 379; household, 24, 323, 324; and sustainability, 144–46. *See also* income; welfare effects
- livestock, 6, 176; in Brazilian Amazon, 173, 203, 205, 208, 212, 214–18, 239–41, 245–46, 271, 419, 429, 430–31; in Cameroon, 313; constraints on, 245–46; in Indonesia, 251, 253, 254, 255; in Peruvian Amazon, 333, 346; and prices, 240, 241, 408; products from, 173, 174, 185; and technology, 185, 187–91; in Thailand, 366; for traction, 203, 205, 208, 212, 214–18, 253, 254, 255. *See also* cattle ranching
- logging, 5, 18, 19, 84, 389; animals used in, 203, 205, 208, 212, 214–18; in Brazilian Amazon, 201–5, 207–9, 211–18, 240, 246, 277, 281, 401, 419; in Cameroon, 307, 323, 326, 327, 420; and capital markets, 401; commercial, 51, 397, 398; and community forestry, 323, 326, 327; costs of, 205, 208, 430; and currency devaluation, 178, 181, 281; cutting cycles in, 201–5, 209, 217, 218; damage from, 212, 213, 216; and deforestation, 171, 172, 301, 302, 416; directional felling in, 204, 205, 211, 216; felling cycles in, 216; and genetic variation, 344; illegal, 246, 250, 358, 364, 365, 371, 397; in Indonesia, 14, 171, 249, 250, 291, 293, 300–302, 396–400, 423, 428; and Krui system, 431; labor in, 205, 301, 398; and land clearing, 175, 192; low-intensity, 201–2, 217; lumber produced by, 175, 205, 207, 208, 213–14; mechanized, 201, 216, 217; in Peruvian Amazon, 333, 334, 344; selective, 201, 205, 293; skidding in, 207–8, 214–15, 216; smallholder, 201–18, 400, 401; in Thailand, 358, 364, 365, 371; and transportation, 182, 183, 192
- Loreto region (Peru), 14
- Lua (minority group), 359, 360, 366
- Mae Chaem watershed (Thailand), 15, 17, 356–60, 368, 371, 377, 378; ethnic minorities in, 358, 359, 360; and land use change, 362–64, 370, 379; subdistricts of, 369
- macroeconomics, 170–94, 301, 302, 314, 417, 419–23, 436
- Macrobium acacetifolium*, 208
- mahogany. *See Swietenia macrophylla*
- Ma Hong Son (Thailand), 371
- maize. *See Zea mays*
- Makham (Cameroon), 97, 110
- malaria, 270
- Malaysia, 5, 410
- Mangifera indica* (mango), 312, 363, 392
- Manihot esculenta* (cassava; manioc), 19–21, 173, 174, 176, 401; and biodiversity, 90, 92, 93, 96–98, 109–11, 132; in Brazilian Amazon, 242, 402; in Cameroon, 307, 310, 311, 324; and carbon stocks, 44, 50, 52, 54; and GHG, 68, 70, 72; in Indonesia, 250, 396, 397, 399, 400, 428; monoculture of, 396–97; and nutrients, 158, 159; and peanuts, 310; in Peruvian Amazon, 341; processing of, 250; *vs.* rubber, 433; and sustainability, 163, 164, 167
- manioc. *See Manihot esculenta*
- Maranhão, state of (Brazil), 181
- markets, 9, 61, 84; agricultural, 173, 182, 318; and agrochemicals, 318, 395, 401, 405; and alternative LUSs, 24, 316–18, 324, 388, 394–96, 410, 431; in ASB matrix, 424, 425; in Brazilian Amazon, 199, 200, 215, 217, 235, 240, 245, 266, 276, 278, 281, 403–5, 430; in Cameroon, 307, 308, 311–14, 316–21, 324, 325, 328, 329; capital, 177, 318, 390, 391, 394, 400–401, 405, 410; cocoa, 312, 321; coffee, 245, 403, 408; in Congo Basin, 317–18, 319; credit, 395; cross-site comparisons of, 406; and currency devaluation, 177; and deforestation, 171, 172, 417, 418, 436; and food, 403, 407; and forest management, 199, 215, 217, 278; for fruit, 318, 392, 395; global, 245, 316, 321, 396, 408; and grasslands, 248, 249, 252; imperfections of, 390–91, 395–96, 398–404, 406–7, 410; in Indonesia, 225, 248, 249, 251, 252, 301, 303, 398–401, 423; input, 317–18, 320, 321, 391; labor, 177, 390, 394, 395, 400, 402–3, 405, 407; oil palm, 312, 318, 325, 395, 398; in Peruvian Amazon, 338, 346, 347, 350; and policy, 301, 303, 391, 408; research on, 235, 281, 350; and sustainability, 146, 147, 150, 159, 278; in Thailand, 367; timber, 200, 251, 403; and transportation, 181, 395–96, 405, 408; urban, 312, 321, 324, 392, 395, 417
- Martinez, N. D., 87
- Massai (grass), 283
- Ma Taeng watershed (Thailand), 357
- mateiros* (native botanical experts), 203
- Mato Grosso, state of (Brazil), 181
- M'Balmayo (Cameroon), 42, 90, 110, 307–13
- Melastoma*, 259

- melons (*Cucumeropsis* spp.), 19, 310, 313, 320, 321, 324; *C. mannii*, 311, 392; egusi, 96; and plantain, 316, 317
- Mendelsohn, R., 183, 185
- Mengomo (Ebolowa Station; Cameroon), 96, 97
- Mercado, A. R., Jr., 18
- methane, 22, 23, 66, 68, 120, 342–44; in incubation experiment, 69, 76; measurement of, 70–71; radiative forcing of, 64–65; seasonality of, 71–74; and soil, 76–78, 300; and sustainability, 150
- Mexico, 14, 18
- microsymbionts, 23, 125, 126, 127, 133, 138, 154
- migration, 4, 10; in Brazilian Amazon, 266, 268–71, 273, 424; in Cameroon, 328, 330, 419, 420, 424; and currency devaluation, 179; and deforestation, 8–9, 417, 436; and economic development, 269–70, 273; and frontiers, 170; government-sponsored, 8, 13–14, 249, 250, 292, 295; in Indonesia, 222, 226, 248–50, 291–93, 295, 297, 298, 300, 301, 396, 420–24; from Java, 250, 292, 295, 300, 422; and land tenure, 183; in Peruvian Amazon, 334, 337, 338; and population growth, 423–24; reverse, 417, 420; and rubber agroforestry, 222, 226; rural-rural, 330, 420; rural-urban, 269; and sustainability, 143, 145; and technology, 187; in Thailand, 362
- Millennium Ecosystem Assessment, 28
- Miller, K. R., 84, 85
- Mimosa* sp., 259
- mining, 173, 176, 268, 333
- Ministry of Forestry (Indonesia), 28
- minorities, ethnic, 356, 358–60, 362, 365, 366, 377. *See also* indigenous peoples
- Mlabri (minority group), 359
- Monke, E., 391
- monoculture, 5, 388, 425; cassava, 396–97; coffee, 271; oil palm, 312, 393, 396–99; rubber, 106; *vs.* small-scale farmers, 20, 300, 312–13, 319
- Moraes, J. L., 54
- Moretto, M., 234
- Mucuna*, 21
- Munasinghe, M., 172
- Murdiyarso, D., 67, 301
- Musa paradisiaca* (plantain), 307, 310–14, 320, 324, 392; and cocoa, 312, 321; and melon, 316, 317; and oil palm, 313; in Peruvian Amazon, 341, 342
- Musa X paradisiaca* (bananas), 239, 240, 241, 242, 312
- Myanmar, 15, 355, 356
- Myers, N., 3, 8
- Myrciaria dubia* (camu-camu), 347
- Myriapodes, 340
- national parks, 217, 293, 294, 363–64
- national security, 266, 358, 364, 365
- natural resource management, 6, 143–48, 167; in Brazilian Amazon, 266, 285, 286; in Indonesia, 302; integrated (INRM), 12, 16, 27; in Peruvian Amazon, 334, 335; in Thailand, 355, 370, 376–78
- nematodes, 23, 120, 124–29, 131, 133, 134, 138, 139, 154
- Nepstad, D. C., 55
- Nicaragua, 215, 350
- Nicotiana tabacum* (tobacco), 292
- Nigeria, 321
- nitrogen, 50, 65–66, 120, 236, 300; and biodiversity, 106, 124, 139; in fertilizers, 66, 71, 79, 241; seasonality of, 75; and sustainability, 149–53, 159, 160, 162–64
- nitrous oxide, 22, 23, 65–66, 68, 300, 342–44; in incubation experiment, 69, 76; measurement of, 71; radiative forcing of, 65; seasonality of, 72–74, 75, 76; in soil profile, 76–78
- Nkol-fulu (Cameroon), 96, 135
- Nkolitam (Cameroon), 97
- Nkometou (Cameroon), 97
- nongovernment organizations (NGOs), 9, 13, 28, 322, 326, 434; and alternative LUSs, 318–19, 329, 379; and farmer organizations, 329; and Krui system, 431, 432; in Thailand, 369, 371
- nontimber forest products (NTFPs), 18, 406; and alternative LUSs, 379, 388; in Brazil, 173, 200, 235, 285, 401; in Cameroon, 308, 313, 315, 323, 324, 327; from community-based forests, 313, 327, 376; and currency devaluation, 178; in Indonesia, 227, 228, 293, 397; and livelihoods, 323, 324; in Peruvian Amazon, 347, 349; policy on, 285, 324; and rubber agroforestry, 227, 228; substitution of, 174; and sustainability, 158, 159, 161, 163; in Thailand, 376, 379; in *várzeas*, 200
- North Carolina State/TropSoils Collaborative Research Support Program, 337
- Northern Mountain Area Agroforestry Systems Research and Development Project (Thailand), 378
- North Queensland (Australia), 87–88
- nutrients, 172, 270, 271, 299, 333, 426–28; and below-ground biodiversity, 121, 124, 139; cycling of, 120; depletion time range (NDTR) of, 153;

- nutrients, (*continued*)  
 in FaleBEM, 236, 237; and fallow periods, 5, 6, 7; net export of (NNE), 153; relative replacement value (RNRV) of, 153, 158, 159; and soil biota, 155; and sustainability, 23–24, 146, 147, 149, 152–53, 158–59, 161–63, 165, 167
- oil. *See* palm oil; petroleum
- Oliveira, M.V.N. d', 206
- Operation Amazon, 268–69
- opium, 358, 362, 364, 365, 366, 367, 371; substitution for, 369–70
- Oryza sativa* (rice), 20, 66; and altitude zones, 366, 367; in Brazilian Amazon, 240, 241, 281, 285, 402; as commodity, 173, 176; in Congo Basin, 330; and *Imperata* grasslands, 21, 254, 259, 260; in Indonesia, 223, 250, 254, 259, 260, 292, 295, 297, 299, 396–99, 428; in Krui system, 431; and labor, 373, 398; paddy, 21, 297, 372–74; in Peruvian Amazon, 341, 342, 347; prices of, 240, 241, 373, 407; sawah-lowland, 164, 165; subsidies for, 285; substitution of, 174; and sustainability, 157, 159, 164–66; in Thailand, 360, 366, 367, 371, 373; upland, 19, 157, 158, 166, 172, 299, 341, 342, 376, 396–99, 428; upland *vs.* paddy, 372–74
- Pakuan Ratu (Lampung, Sumatra), 248, 249–61, 295
- Palm, Cheryl A., 22, 23, 43, 45
- palm oil, 317, 324, 346, 408
- Pancuran Gading (Sumatra, Indonesia), 92
- Panicum maximum* (guineagrass), 283
- Paraserianthes falcataria* (sengon), 20, 44, 51, 55–56, 91, 156, 251, 298; and *Imperata* control, 258–61
- Pará, state of (Brazil), 171, 181, 217, 268, 271
- Pasir Mayang Research Station (Jambi province, Sumatra), 67, 91–92
- pastures, 5, 19, 21–22, 26; and alternative LUSs, 282, 284, 388, 410; *vs.* arable land, 172, 188, 189; and below-ground biodiversity, 123, 133–35, 137; in bioeconomic models, 237, 242, 280; *Brachiaria*-improved, 21, 93, 95, 275, 283, 341, 348, 349; in Brazilian Amazon, 200, 218, 237–39, 242–46, 273–75, 280–84, 401–5, 426, 429, 430–31, 433; carbon stocks in, 42, 44, 52–55, 57, 59, 60; and coffee, 245–46; and deforestation, 233–46, 271; degraded, 6, 242, 243, 433; and GHG, 65, 66, 71, 342, 344; grass-legume, 251, 281, 431; improved, 401–5, 426, 429; management of, 188, 189, 410; in Peruvian Amazon, 335, 337, 338, 341, 342, 344, 347–50; and policy, 244, 245; research on, 281, 283, 350; soil of, 65, 273; and sustainability, 161, 164; and technology, 188, 189. *See also* grasslands
- peach palm. *See* *Bactris gasipaes*
- Pearce, D.W., 8
- Pearson, S.R., 391
- Pedro Peixoto (Acre, Brazil), 13, 42, 200, 233–46; biodiversity in, 94, 95, 135; forest management in, 202–18, 276, 277; land use in, 238–40
- Peltogyne*, 208, 209
- Peltophorum dasyrrachis* tree, 251, 259
- pepper, 251, 252, 258, 259, 260
- Persea americana* (avocado), 312, 317, 392
- Persson, A., 172
- Peru, 9, 18–23, 27, 28; benchmark sites in, 13, 14, 15, 17; biodiversity in, 125, 129, 132. *See also* Amazon, Peruvian; Pucallpa; Yurimaguas Experiment Station
- pesticides, 21, 163, 238, 240, 281, 314, 349; and cash crops, 374; and cocoa, 312, 320; prices of, 241
- pests, 120, 239, 373; in agroforests, 160, 223, 226, 228–30; in Cameroon, 312, 315, 319, 325, 328; and cocoa, 163, 312, 325; and crop-fallow systems, 319, 328; in Indonesia, 223, 226, 228–30, 298, 299; and sustainability, 24, 146, 147, 149, 154, 160–63, 165
- petai tree* (*Parkia speciosa*), 158, 159, 228, 230, 260
- petroleum, 173, 268, 334, 419
- Pfaff, A.S., 171
- PG Bunga Mayang (sugar plantation), 250
- Phaseolus vulgaris* (beans, edible), 173, 174, 240, 241, 280, 281, 285, 402. *See also* *Glycine max*; *Vigna radiata*
- Philippine Council for Agriculture, Forestry, and Natural Resources Research (PCARRD), 15
- Philippines, 5, 14, 15, 18, 22
- phosphorus, 50, 106, 120, 149, 153, 159, 300
- Pilot Program to Conserve the Brazilian Rain Forest, 233
- Ping Basin (Thailand), 364
- Pinus* (pine), 20
- Piper hispidinervum* (pimenta longa), 209, 281
- Pithecellobium dulce*, 260
- Pithecellobium jiringa* (jengkol), 158, 159, 228, 230
- plantain. *See* *Musa paradisiaca*
- plant functional attributes (PFAs), 87, 106, 112–13
- plant functional complexity (PFC), 88, 100, 101–2, 105

- plant functional types (PFTs), 23, 27, 86, 87–88, 89; in biodiversity studies, 91–103, 105, 106, 112–13. *See also* vegetation
- policy: agricultural, 6, 244, 245, 324, 328, 329–30; on agroforests, 231, 245, 301, 324; and alternative LUSs, 64, 244, 245, 300, 323–29, 357, 363–64, 369, 378, 379, 390–91, 424, 434; and ASB, 9, 11–13, 16, 27, 28; in ASB matrix, 25–27, 424, 425; and biodiversity, 84, 111–12, 301, 303; in bioeconomic models, 235, 237, 243–44, 280–81; in Brazilian Amazon, 199, 218, 235, 237, 243–45, 265–69, 271, 273, 275, 277, 278, 280–85, 287, 419, 426; in Cameroon, 308, 314, 317, 322, 323–30, 391, 427; and carbon stocks, 60–61; colonization, 267–69, 284–85; and community forestry, 326, 327; in cross-site comparisons, 406–9; and currency devaluation, 178, 191–92; and deforestation, 171, 181, 193, 233, 234, 240, 244, 245, 284, 285, 347, 348, 417, 418, 433, 434, 436; distortions by, 390–91; and economic development, 273, 275, 287, 409; Embrapa's role in, 282–85; and exports, 400; and food security, 317, 330; forest management, 199, 218, 277, 278, 408; and frontiers, 170; and global objectives, 303; on indigenous peoples, 408, 431–32; in Indonesia, 84, 231, 300, 301, 303, 391, 400, 428, 431–32; labor, 244, 245, 347, 349, 391; land, 7, 64, 240, 242, 244, 271, 284, 300, 347, 361, 391; at landscape scale, 378–79; macroeconomic, 178, 301, 314; and markets, 301, 303, 391, 403, 408; in Peruvian Amazon, 332–33, 334, 347, 350; and population, 424; and poverty, 283, 287, 408; and prices, 244, 245, 285, 408; and research, 9–13, 16, 278–80, 282–87, 387, 433, 434; resettlement, 267–69; and small-scale farmers, 245, 285, 303, 350; and sustainability, 167, 240, 277, 278, 284, 287, 301, 347; and technology, 181; in Thailand, 347, 348, 357, 361, 363–65, 367, 369, 378, 379; trade, 301, 317, 330, 390, 391; in tradeoff analysis, 25, 64, 301; welfare effects of, 274, 350
- policy analysis matrix (PAM) technique, 391–405
- political issues, 199, 266, 435. *See also* socio-economic issues
- pollution, 120, 121, 153, 367, 416; air, 146, 147, 150; water, 275, 361, 374
- Pontosclex corethrurus* (earthworms), 23, 120, 149, 154, 339, 340; and below-ground biodiversity, 124–26, 131–33, 136, 137, 139
- population density, 5–7, 9, 13, 14, 17, 432; and alternative LUSs, 323, 328, 363, 366, 410; in ASB matrix, 425; in Brazilian Amazon, 266, 268–69, 269–70; in Cameroon, 308, 314, 317–18, 320, 321, 323, 328, 423; in cross-site comparisons, 406; and currency devaluation, 181; and deforestation, 8, 294, 306, 418; in Indonesia, 170, 291, 292, 294, 301, 423–24; and infrastructure, 406–7, 424; and labor, 68, 170, 266, 268–69; and markets, 317–18; in Peruvian Amazon, 333, 338, 340; in Thailand, 363, 366, 367
- population growth, 269–70, 274, 335, 337, 358, 362, 423–24, 435
- Porto Velho conference (Rondônia, Brazil; 1992), 10, 29–30
- potassium, 106, 153, 158, 159, 162
- poverty, 4, 10–12, 122, 407, 409, 431, 432; in ASB matrix, 25, 425; in Brazilian Amazon, 266, 270, 274, 283, 287; in Cameroon, 321, 327; and deforestation, 28–30, 233, 302, 436–37; in Indonesia, 297, 301, 421, 422; and policy, 283, 287, 408; research on, 302, 380, 387; in Thailand, 355, 358, 363–65
- precipitation, 15, 17; in Cameroon, 309; in Indonesia, 67, 294; in Peruvian Amazon, 332, 335, 342
- Presidente Figueiredo Igarape do lajes (Brazil), 95
- prices: and agroforestry, 225, 229, 375; and alternative LUSs, 389, 393, 410; in bioeconomic models, 234–38, 241, 243; in Brazilian Amazon, 200, 215, 217, 234–38, 240, 241, 243–45, 277, 280, 430; of Brazil nuts, 238, 241; in Cameroon, 314, 318, 321, 322, 325, 328, 419; of cocoa, 321, 325, 408; of coffee, 240, 241, 244, 245, 408; and currency devaluation, 177, 180; and deforestation, 243, 347, 349, 418; elasticity of, 174; of fertilizer, 158, 159, 241; and forest management, 200, 215, 217, 277; and frontiers, 170; and *Imperata* control, 251, 256, 261; as incentives, 321, 408; in Indonesia, 225, 229, 251, 256, 261, 397, 400; land, 175, 182, 191, 335; and macroeconomics, 314; and markets, 318, 390; in Peruvian Amazon, 238, 241, 335, 346–47, 349; and policy, 244, 245, 285, 408; of rice, 240, 241, 373, 407; stabilization of, 407; subsidies for, 346, 347; in Thailand, 373, 375; of timber, 28, 199, 241, 408; and transportation, 182
- production: in Brazil, 173–75; complementarity *vs.* substitution of, 182–83; constraints on, 234, 235, 237, 244; factors of, 173, 175–77, 181, 185–87, 225, 347–48; in Sumatra, 175–76

- productivity: of agroforests, 20, 223, 224, 227–31, 302; and alternative LUSs, 328, 410, 434; and biodiversity, 83, 84, 90, 106, 111, 112, 122; in bioeconomic models, 234, 236, 237; of cocoa systems, 320, 321, 322; of crop-fallow systems, 6, 319, 320; and deforestation, 330, 348, 424, 433; and economic development, 275, 334; and forest management, 202–4, 214, 216, 277; at forest margins, 299; and genetic resources, 344–45; and grassland reclamation, 248; of land, 6, 185–87, 320, 330; of livestock, 191; and paddy rice, 373; and PFTs, 87–88; of rubber, 223, 224, 227–31; of shifting cultivation, 5, 6, 306; stable, 144; and sustainability, 24, 143–44, 149, 277; and technology, 185–92
- profitability: of agroforests, 222, 301; and alternative LUSs, 24, 315–16, 363, 389, 393, 394, 397–98, 410, 429; in ASB matrix, 25, 26, 425; and biodiversity, 83, 111, 112, 301; in bioeconomic models, 237; in Brazilian Amazon, 201, 202, 216–17, 237, 244–46, 276–78, 281, 286, 402–4, 426, 429–31; in Cameroon, 314–22, 325, 328, 427, 429; and cash crops, 373; and cash flow, 430; of cocoa, 315, 316, 320, 321, 325; of coffee, 245–46; of crop-fallow systems, 320, 328; and currency devaluation, 300; and deforestation, 191, 349, 416, 424; *vs.* exploitation, 143; and forest management, 201, 202, 215, 216–17, 277, 278, 402; and grassland reclamation, 249, 252; in Indonesia, 222, 249, 252, 299–302, 397–99, 422, 428; and land, 6–7, 172; and land tenure, 185; and macroeconomics, 314; and markets, 395; of oil palm, 322, 325; in Peruvian Amazon, 347, 349; and policy, 244, 245, 391; in research, 281, 286, 302, 387, 434; of rice, 373; social, 316; and sustainability, 148, 158, 277, 278; and technology, 185, 188, 189, 192; in Thailand, 363, 373; tradeoffs with, 25, 60, 314–19, 430, 432; and transportation, 182, 183; of tree-based systems, 252, 347
- Projeto Reca (Rondônia, Brazil), 94, 281, 282
- property rights, 25, 84, 323, 424; in agroforests, 28, 295–96; and alternative LUSs, 318, 363; communal, 313; and deforestation, 192, 418; and land clearing, 175, 183–85; private, 363; to trees, 6, 61, 249, 295–96, 377; *vs.* use rights, 61, 175, 377; to water, 361. *See also* land tenure
- protists, 124, 126
- Protium apiculatum*, 208, 209
- protozoa, 120
- Prunus africana*, 309
- Prunus mume* (Japanese apricot), 374
- Prunus salicina* (Japanese plum), 374
- Pucallpa (Ucayali Department, Peru), 14, 335–42, 345–47, 349, 350
- Pueraria phaseoloides* (kudzu), 21, 241, 281, 283, 340, 341, 348, 349
- pulpwood plantations, 5, 19, 20, 50, 51, 54, 55–56, 58
- pupunha. *See* *Bactris gasipaes*
- Pyrus pyrifolia* (Asian pear), 374
- Quaribea guianensis*, 209
- Queen Sirikit Forest Development Project (*Suan Pab Sirikit*; Thailand), 370–71, 373, 378
- Raffia* palm swamps, 97, 110
- Rainforest Challenge Partnership, 28–29
- Raks Thai Foundation, 378
- Rantau Pandan benchmark site (Jambi, Sumatra), 294, 295, 297, 298
- rattan, 228, 400
- reforestation, 249, 345, 358, 375
- research: agricultural, 14, 27, 28, 320, 328, 329; on agroforestry, 261, 329, 340, 380; and alternative LUSs, 276–78, 286, 318–19, 323, 329, 357, 380, 433; ASB, 12–13, 16–30, 387–91, 433, 434, 435; ASB impact on, 27, 278–81; on biodiversity, 10, 280, 286, 302, 350; biophysical, 278, 281, 286, 338–46; in Brazilian Amazon, 268, 276–81, 283, 286; in Cameroon, 302, 318–19, 320, 322, 323, 328, 329; and complementarity *vs.* substitution relationships, 183; on economic development, 286, 387, 433; on ecosystem services, 13, 302, 435; farmers' participation in, 279, 280, 329, 333, 345, 350, 433, 435; on food security, 302, 387, 389, 390; on forestry, 14, 329, 350, 419; future needs for, 302; genetic, 333, 338, 345–46; on households, 253–56, 280, 283; in Indonesia, 20, 67, 91–92, 253–56, 261, 295, 297–302; innovations in ASB, 433–35; integrated natural resource management (INRM), 12, 16; international, 279, 280, 285, 380; on landscape scale, 279, 286, 302; on markets, 235, 281, 350; measurement techniques in, 433; multidisciplinary, 9, 10, 12–13, 28, 30, 278, 302, 378, 433; in Peruvian Amazon, 333, 335–46, 349, 350; and policy, 9–13, 16, 278–80, 282–87, 387, 433, 434; on poverty, 302, 380, 387; socioeconomic, 278, 280–81,

- 286, 346–50, 387–91, 435; staff for, 285–86; on sustainability, 27, 281, 286, 302, 387, 433, 434, 435; and technology, 279, 280, 281, 286, 302, 387, 433; in Thailand, 357, 361, 378, 380. *See also* economic models
- Reserva Biológica de Campina (Brazil), 95
- Rhizobium*, 23, 146, 147, 149
- rice. *See Oryza sativa*
- risk, 280, 405, 429; of alternative LUSs, 24, 315, 325–28, 330, 431; *vs.* benefits, 325–27
- Rondônia, state of (Brazil), 13, 42, 181, 279, 281, 282, 404; benchmark sites in, 266; biodiversity in, 93–94, 100, 135; coffee in, 240, 403, 405; deforestation in, 200, 270–71, 272; economic development in, 268, 273, 275; population growth in, 269, 270; Porto Velho conference in, 10, 29–30
- roots, 120, 121, 154; bacteria on, 124–25, 128–29, 131, 133, 135, 136, 138–39; biomass of, 53–54, 55; and carbon stocks, 47, 53–54, 55, 57
- Roper, J., 8
- Rottboellia cochinchinensis*, 339
- Royal Forest Department (Thailand), 15, 369, 371, 378, 379, 380
- Royal Project Foundation (Thailand), 362–63, 369, 371, 373, 374
- rubber. *See Hevea brasiliensis*
- Rudel, T., 8
- Saccharum officinarum* (sugar cane), 249, 250, 255, 293, 299; as commodity, 173, 176; substitution of, 174; and sustainability, 164, 165
- Sam Mun Highland Development Project (Thailand), 357, 369–70, 371, 372, 374–78
- Sanchez, P.A., 42
- São Paulo–Rio Branco road (Brazil), 9
- savannas, 90, 97, 110, 330. *See also* grasslands
- Schima wallichii*, 259
- Schizolobium amazonica* (bandarra), 44, 93, 111, 401–4, 426, 429
- seasonality, 89; of GHG, 68, 71–76, 77
- Selective Logging System, Indonesian, 293
- Selva Baja (Peru), 14, 17
- Sen, A., 390
- sengon. *See Paraserianthes falcataria*
- Senna reticulata* (senna), 44, 52
- Seringal São Salvador (Acre, Brazil), 284
- Setaria* grass, 259
- Shannon–Wiener diversity index, 88, 100, 101–2, 105, 106, 132–34
- Sheil, D., 207
- shifting cultivation, 4–6, 8–10, 13, 406; and alternative LUSs, 21, 370, 388, 389, 410; and altitude zones, 366, 367, 368; and biodiversity, 89, 340; in Brazilian Amazon, 200, 217, 218, 402; in Cameroon, 21, 222, 307, 419; and carbon stocks, 51–52, 58, 60; and cash crops, 373; and community forests, 375; and deforestation, 29, 302, 349, 416–18; and forest management, 200, 217, 218; and GHG, 71, 342; in Indonesia, 248, 291, 295, 297, 299, 302, 396, 421; in MMSEA ecoregion, 355; *vs.* paddy rice, 372; in Peruvian Amazon, 340, 342, 349; productivity of, 5, 6, 306; *vs.* slash-and-burn agriculture, 4, 5–6; sustainability of, 24, 143, 159, 291; in Thailand, 358–61, 366–68, 370, 372, 373, 375, 380
- Shorea javanica* (damar), 18, 19, 223, 295, 431
- Shortle, J. S., 234
- Shugart, H. H., 86
- Sida*, 163
- Silva, J.N.M., 206
- Silver, W. L., 60
- Simpson diversity index, 88, 100, 101–2, 105, 106, 133, 134
- sisipan system, 223–30, 231
- slash-and-burn agriculture, 11, 45, 51; best-bet alternatives to, 25, 27, 83–113, 222, 277, 302, 323; in Cameroon, 306; and deforestation, 306, 349; in Indonesia, 291, 292, 299, 303, 422; large-scale, 9; in Peruvian Amazon, 333, 338; *vs.* shifting cultivation, 4, 5–6
- Smith, J., 347
- Smith, K. A., 65
- Soca monocrop, 325
- social conflict, 269, 346, 361, 365, 377, 435
- socioeconomic issues: and alternative LUSs, 24, 315, 319, 389–90; in ASB matrix, 26; at benchmark sites, 13, 16, 22; and biodiversity, 84, 111; in Brazilian Amazon, 24, 181–91, 216–17, 265–66, 269, 285; in Cameroon, 24, 311, 319; and colonization, 285; cross-site comparisons of, 406–9; and deforestation, 29–30, 181–91, 233, 346–50, 417, 418; in Indonesia, 24; in PAM, 391; in Peruvian Amazon, 332–33, 346–50; research on, 278, 280–81, 286, 302, 387–91, 435; in Thailand, 355, 361, 365, 377; and tradeoffs, 434
- soil, 17, 21, 27, 175, 410; biodiversity in, 85, 90, 98, 99, 104–6, 111, 112, 119–39, 311; in bioeconomic models, 234, 236, 237; biota in, 23, 65, 146, 147, 149, 151–52, 154, 155;

- soil, (*continued*)  
 in Brazilian Amazon, 201, 239, 240, 243, 269–71, 273, 426; in Cameroon, 160–62, 308, 309–10, 427; and carbon stocks, 43, 45, 47, 50, 53, 54, 56, 57, 60; and colonization, 269; compaction of, 148–50; conservation of, 6, 371; and deforestation, 233, 234, 243, 271, 348; degradation of, 233, 234, 271–73, 275, 319, 339; and economic development, 271–73, 275; erosion of, 6, 24, 270, 361, 374; in European forests, 79; exposure of (SE), 152, 155–56, 157, 160, 162, 167; fertility of, 23–24, 121, 124, 131, 164, 165, 236, 249, 250, 255, 294, 298, 300, 310, 320, 334, 335, 348; functions of, 148; and GHG, 65–67, 69, 70, 76–78, 342; and *Imperata* control, 249, 255; incubation of, 69; in Indonesia, 294, 298, 300, 423, 428; and logging, 205; macrofauna in, 23, 128–29, 130, 131, 136, 138, 139, 154; and methane, 76–78, 300; organic matter (SOM) in, 152, 155; in Peruvian Amazon, 333, 334, 335, 338, 339; and plowing, 255; properties of, 67, 120; structure of, 121, 146–52, 154–57, 160–64; and sustainability, 23–24, 146–52, 154–57, 160–65, 167; topsoil, 53, 54, 57, 60; water-filled pore space (WFPS) in, 65, 66, 71, 75; and watershed degradation, 361. *See also* nutrients
- Soil Biodiversity Network (ASB), 122–23, 138
- soil cover index, 152, 155–56, 157, 160
- Solanum scabrum*, 311
- Solanum tuberosum* (potato), 363
- Sommer, R., 55, 60
- Southeast Asia, 6, 21, 22, 410; benchmark sites in, 14–15; economic crisis in, 379, 422; mountainous mainland (MMSEA), 355–56, 358, 359, 360, 366, 380. *See also particular countries*
- species: abundance of, 88, 127, 131, 132, 133, 137, 217, 344; in biodiversity studies, 106, 112, 121, 125, 127; in forests, 208–9, 210, 212–13; *vs.* functional groups, 133; keystone (flagship), 85, 112; native *vs.* introduced, 281; and PFTs, 87; richness of, 88, 100, 103, 106, 126, 212–13, 223; richness *vs.* abundance of, 132, 133, 137
- Suan Pah Sirikit*. *See* Queen Sirikit Forest Development Project
- subsidies, 170, 424; for agroforests, 328–29; in Brazilian Amazon, 233, 268, 283, 430; in Cameroon, 314, 325, 328–29, 419–20; for colonization, 233; credit, 268, 283, 346, 347, 405; income, 285; in Peruvian Amazon, 334, 346, 347; price, 346, 347; wage, 430
- sugar cane. *See Saccharum officinarum*
- Sulawesi, 420
- sulfur, 120, 121
- Sumatra (Indonesia), 28, 425, 429; agroecological zones of, 295; agroforests in, 18, 20, 222–31; benchmark sites in, 14–15, 17, 292, 294–301; biodiversity in, 85, 92, 98, 100, 106, 107, 109–11; carbon stocks in, 42, 44, 47, 48–58, 60, 64, 300, 428; colonization program in, 171; currency devaluation in, 180–81; forest margins in, 291–303; GHG in, 64–79; *Imperata cylindrica* grasslands in, 248–61; macroeconomic factors in, 420, 421–23; migrants in, 222, 226, 248–50, 291–93, 295, 297, 298, 300, 301, 396, 420–24; models of, 172, 194; montane zone in, 302; nutrient balance in, 158–59; peneplain of, 224, 225, 231, 250, 292, 294, 295, 300, 302, 397; piedmont of, 224, 225, 231, 294, 295, 300, 302; population density of, 170, 292; production activities in, 175–76; sustainability studies in, 153–60; tradeoffs in, 431–32; Trans-Sumatra highway in, 9, 292, 295, 423; tree-based systems in, 291, 422, 423. *See also* Jambi province; Lampung province
- sustainability, 5, 10, 29; and adaptation, 144–46, 165, 167; of agroforests, 157, 161, 163–66, 328; and air quality, 146, 147, 150; in alternative LUSs, 143–67, 282, 284, 328, 378; and ASB, 11, 13, 148, 277; in ASB matrix, 26, 424; in Brazilian Amazon, 154–64, 199–218, 235, 266, 276–78, 282, 284, 401, 426, 431; in Cameroon, 154–64, 300, 303, 308, 311, 314–19, 328, 427; and carbon stocks, 24, 148, 150, 151–52; of cassava-*Imperata* systems, 156, 157, 160, 166, 167; of community-based forests, 18, 157, 162, 163, 166, 323; cross-site comparisons of, 406; definitions of, 143–46; and deforestation, 30, 433, 436; and disease, 24, 146, 147, 149, 154, 160–63, 165; of economic development, 269, 276, 286, 409; and fallow periods, 24, 143–44, 160, 162–63, 164, 167, 291; and fertilizers, 149, 153, 158, 159, 162, 164, 167; and forest management, 18, 199–218, 276–78; and genetic resources, 166, 167, 344–46; and GHG, 64; indicators for, 147–50, 152–53, 160; in Indonesia, 154–64, 291, 298, 299, 428; and Krui system, 432; at landscape scale, 146, 164–67; and land tenure, 183; and livelihoods, 144–46; local, 435; and markets, 146, 147, 150, 159;

- measurement of, 23–24; *vs.* nonsustainability, 145; and persistence, 146; in Peruvian Amazon, 344–46, 349; plot-level assessment of, 146–54; and policy, 167, 240, 277, 278, 284, 287, 301, 347; rapid assessment of, 147; research on, 27, 281, 286, 302, 387, 433–35; and scale of system, 144–45; of shifting cultivation, 24, 143, 159, 291; and soil, 23–24, 146–52, 154–57, 160–65, 167; and technology, 144, 154, 166, 167, 185; in Thailand, 371, 373, 378; threats to, 146–48; tradeoffs with, 314–19; of tree-based systems, 161, 164, 165, 167, 300, 303, 315; and water quality, 146, 147, 149, 150, 153
- Sweden, 5
- Swietenia macrophylla* (mahogany), 20, 205, 206, 217
- Swift, M., 23
- Tabebuia serratifolia*, 208
- tapiers, 103
- tea, jungle. *See* *Camellia sinensis*
- technology, 11, 172, 175, 434; agricultural, 6, 173, 185–91, 193; and alternative LUSs, 323, 328, 329, 379, 410; in ASB matrix, 424, 425; and bioeconomic models, 235, 237–38, 281; in Brazilian Amazon, 199, 215, 217, 235, 237–38, 240, 266, 268, 281; in Cameroon, 325, 328, 330; and capital, 185–93; and deforestation, 171, 181, 187–93, 234, 347–49, 416, 418, 424, 433; and economic development, 275, 276; and forest management, 199, 215, 217; and frontiers, 170; GIS, 16, 379; in Indonesia, 302; and information, 379, 400, 405; and land tenure, 185; long-run effects of, 189–91; long- *vs.* short-run effects of, 192–93; in Peruvian Amazon, 347–49; and policy, 181, 302, 391; and prices, 174; and research, 279, 280, 281, 286, 302, 387, 433; short-run effects of, 187–89, 191; and sustainability, 144, 154, 166, 167, 185; in Thailand, 356, 361, 367
- termites, 23, 120, 322, 340; and below-ground biodiversity, 101, 103, 124–27, 130, 131–33, 136–39; and sustainability, 149, 154
- Thai-Australian Highland Development Project, 371
- Thai-German Highland Development Project, 371
- Thailand, 18–21, 355–80; ASB in, 27, 355, 369, 371, 377–80; benchmark sites in, 15, 17; biodiversity in, 106, 111, 357; and cash crops, 373–74; conservation projects in, 369–71; constitutional reform in, 377; deforestation in, 357–60; ethnic minorities in, 356, 358–60, 362, 365–67; LUSs in, 19, 357–61; and MMSEA, 355, 356; tourism in, 365
- Thai-U.S. Agency for International Development Mae Chaem Development Project, 371
- Theobroma (Rondonia, Brazil), 13, 42, 93, 94, 135, 200
- Theobroma cacao* (cocoa), 19, 25, 157, 173, 174; in agroforests, 20, 311–12, 314, 321; and alternative LUSs, 410, 411; in ASB matrix, 425; and biodiversity, 90, 97, 98, 107–10, 315, 320–22; in Cameroon, 308, 310–14, 316, 317, 319, 320–22, 324, 330, 392–95, 419, 427, 429; and carbon stocks, 44, 51, 52, 54, 55, 58, 59, 321; and currency devaluation, 321; and degraded *vs.* forest land, 321–22; and economic development, 273, 409; extensive *vs.* intensive systems of, 312; and fruit trees, 312, 320–21, 432–33; markets for, 318, 408; in Peruvian Amazon, 346–47; pests in, 163, 312, 320, 325; prices of, 321, 325, 408; profitability of, 315, 316, 320, 321, 325; sustainability of, 162, 163, 328; and women, 319
- Theobroma grandiflorum* (cupuaçu), 19, 21, 44, 281, 282; in biodiversity studies, 94, 107, 108
- Thiele, R., 171
- Tiki Manga, T., 16
- timber: in agroforests, 18–20, 228, 230, 292; in Brazilian Amazon, 173, 199, 200, 202–5, 207, 208, 211, 213–14, 217, 241, 278, 285, 401; in Cameroon, 307, 309, 313, 323; commercial, 87–88, 202–3, 211, 217, 309; from community-based forests, 313, 323; and deforestation, 417, 418; and economic development, 409; felling cycles of, 199; and forest categories, 293; in forest inventories, 202–4; and forest management, 199, 278; and *Imperata* control, 252, 255; in Indonesia, 228, 230, 251, 252, 255, 292, 293, 295, 420, 423; and Krui system, 432; markets for, 200, 251, 403; plantations of, 90, 156, 423; for plywood, 217; policy on, 285; prices of, 28, 199, 241, 408; sawn, 205, 207, 208, 213–14; and soil, 156, 158; species used for, 202–3, 339; substitution of, 174; in *varzeas*, 200; yields of, 205. *See also* logging; tree-based systems; trees
- Tithonia diversifolia*, 21
- Togo, 321
- Tomich, Thomas P., 24, 29, 43, 389, 391, 396
- Toona sinensis* (surian), 298
- Torresia acraea*, 206, 209

- Torsvik, V., 126
- trade: in Brazil, 173, 245, 276; in Cameroon, 317, 324, 330; and deforestation, 171; and economic development, 276; fair, 324; and frontiers, 170; in Indonesia, 301, 422; international, 245, 391, 396, 400, 408; liberalization of, 330; policy on, 301, 317, 330, 390, 391; as production activity, 176. *See also* markets
- tradeoff analysis, 11–13, 24–25, 27, 29, 415–37; in ASB matrix, 425–32; and ASB research, 16, 433; in bioeconomic models, 280; for Brazilian Amazon, 276, 297, 426; for Cameroon, 314–19, 323–29, 427; and economic development, 297; and environmental issues, 314–19, 432; and GHG, 79; for Indonesia, 301, 428; for Peruvian Amazon, 333, 334; policy in, 25, 64, 301; for Thailand, 378
- Trans-Amazon highway (Brazil), 9, 268
- Trans-Gabon highway, 9
- transmigration, 249, 250, 420, 421. *See also* colonization; migration
- transportation infrastructure: and alternative LUSs, 181, 183, 395; in Brazilian Amazon, 9, 13, 181–83, 192, 215, 267, 268, 276, 419; in Cameroon, 308, 320, 321; and capital, 405; in Congo Basin, 330; and deforestation, 9, 171, 181–83, 192, 349, 417; and economic development, 276; and frontiers, 170; in Indonesia, 251, 400, 423; and logging, 182, 183, 192; and markets, 181, 395–96, 405, 408; in Peruvian Amazon, 346, 349; policy on, 408; and population, 424; in Thailand, 365; and welfare effects, 182–83
- transportation services, 173, 176
- Trans-Sumatra highway, 9, 292, 295, 423
- tree-based systems: as alternative LUSs, 388, 410; and below-ground biodiversity, 123, 132, 137; in Brazilian Amazon, 173, 281; in Cameroon, 320, 329, 330, 419, 420; carbon stocks in, 45, 46, 49–53, 55, 57, 60, 61, 314–15; costs of, 430; cross-site comparisons of, 406; diversification of, 330; as factor of production, 175, 176; and GHG, 66–67, 69, 71; and GWP, 344; and *Imperata*, 251–61; in Indonesia, 251–61, 291–92, 295, 297, 299, 300, 303, 421, 422, 423; intensive, 19, 20–21; and land tenure, 185; large-scale, 5, 46, 423; and markets, 408; and migrants, 295; in Peruvian Amazon, 347; profitability of, 252, 347; for pulpwood production, 5, 19, 20, 50, 51, 54, 55–56, 58; substitution of, 174; sustainability of, 161, 164, 165, 167, 300, 303; and technology, 185, 187–91, 192; tradeoff analysis of, 301, 434; and women, 319. *See also* agroforests; fruit trees
- Treecrops Advisory Service (Indonesia), 398
- trees: artificial regeneration of, 207; biomass of, 43; domestication of, 345, 350; fast-growing, 251, 258, 299; genetic resources of, 333, 338, 344–46; and PFTs, 87–88; property rights to, 6, 61, 249, 295–96, 377; replanting of, 205–6; seed orchards for, 345–46; studies of, 90, 200. *See also* forests; timber
- Trinorea publiflora*, 209
- Triticum aestivum* (wheat), 330
- Tropical Soil Biology and Fertility (TSBF) Programme, 127, 128, 129, 339, 340
- Tropileche (research consortium), 350
- Trumbore, S. E., 55
- Tucuruí Dam (Pará, Brazil), 268
- Ucayali region (Peru), 14, 28. *See also* Pucallpa
- Uganda, 85, 217
- Uncaria tomentosa* (uña de gato), 347
- United Nations: Development Program (UNDP) of, 10, 274–75; Drug Control Program of, 369
- Universidade Federal do Acre, 278
- Universidad Nacional Agraria la Molina, 350
- Universidad Nacional del Ucayali (UNU), 339
- urbanization, 14, 418; in Africa, 307, 312, 319–21, 324, 325, 330, 408; in Brazilian Amazon, 269–70; and markets, 312, 321, 324, 392, 395, 408, 417; and migration, 269; and new development paradigm, 275; in Thailand, 358, 365; and water pollution, 275, 361
- Valentim, Judson F., 239
- van Noordwijk, Meine, 16, 29, 47, 396
- várzeas* (flooded areas, Amazon region), 200
- VegClass software, 88, 98, 100
- vegetables, 19, 163, 312, 362, 374. *See also* horticulture
- vegetation, 17, 332; biodiversity of, 23, 98, 99, 100, 101–2, 103, 105, 112, 119; biomass of, 42, 53; and carbon stocks, 42, 50, 57; classification of, 89; *vs.* fauna, 85, 88, 100–107, 109; as ground cover, 121; and nutrients, 24, 153. *See also* plant functional types; *particular species*
- vegetation index (V-index), 100, 101–2, 103, 105, 109–11
- Vietnam, 15, 355, 356
- Vigna radiata* (mung beans), 223
- Vosti, Stephen A., 24, 389, 401

- wages, 17, 393, 396, 398, 402, 407, 430; in bioeconomic models, 236, 241; in Brazilian Amazon, 240, 403; cross-site comparisons of, 406; and currency devaluation, 177; and deforestation, 243; in Indonesia, 227, 255, 397
- Wasrin, U. R., 67
- water, 6, 293, 367, 378; and deforestation, 233, 416; and GHG, 65; in MMSEA ecoregion, 355; pollution of, 275, 361, 374; quality of, 146, 147, 149, 150, 153, 233; rights to, 361; and soil, 154, 271; and sustainability, 146, 147, 149, 150, 153; and urbanization, 275, 361
- watershed management, 15, 29, 120; in Brazilian Amazon, 269; in Cameroon, 329; in Indonesia, 302; networks for, 377, 379; in Thailand, 355, 360–61, 370, 377, 379
- watersheds, 10, 371, 377; classification of, 364; services from, 29, 360–61, 378. *See also* Ma Chaem watershed; Ma Taeng watershed
- weeds: invasive, 335, 339; suppression of, 6, 24, 146, 147, 149, 154, 160–63, 165
- Weitzman, M. L., 84
- welfare effects, 361, 396, 416; in Brazilian Amazon, 274–75; and currency devaluation, 177; of economic development, 269, 274–75; and land use change, 365, 377, 379, 380; in Peruvian Amazon, 346–47; of policy, 274, 350; in Thailand, 380; and transportation infrastructure, 182–83
- White, D., 347
- Wiebelt, M., 171
- wildlife sanctuaries, 363
- Witcover, J., 401
- women, 17, 311, 319, 325, 328, 407, 420
- Woomer, Paul L., 22, 23, 43
- World Bank, 28, 84, 314
- Wösten, J.H.M., 148
- Xanthosoma sagittifolium* (cocoyam), 307, 311–14, 320, 321, 324, 392
- Yao (minority group), 359
- Yaoundé (Cameroon), 21, 42, 90, 307–14, 319, 425
- Yucatan (Mexico), 14
- Yurimaguas Experiment Station (Peru), 14, 66, 68, 70, 71, 75, 79, 337–38; biodiversity in, 338, 339, 340; carbon stocks in, 340–42; GHG in, 67, 72, 342–43
- Zea mays* (maize), 95, 98, 173, 174, 176; in Brazilian Amazon, 240, 241, 402; in Cameroon, 311, 312, 313, 330, 392; and *Imperata* control, 21, 254, 259, 260; in Indonesia, 21, 223, 254, 259, 260; in Peruvian Amazon, 341, 347; in Thailand, 363, 373
- Zingiber officinale* (ginger), 19, 362

